




Tapered Screw-Vent[®] Implant System



Product Catalog



HealthCare Dental Limited
凱健牙科有限公司
23/F, 8 Commercial Tower, 8 Sun Yip Street, Chai Wan, HKSAR
香港柴灣新業街8號八號商業廣場23樓
Tel: (852) 2563 5193
Fax: (852) 2565 9537, 2805 5931
Email: sales.hcdental@hcdh.com.hk



zimmer | dental

How to Order

To order, call Zimmer Dental Customer Service between 6:00 a.m. and 4:30 p.m. PST, Monday through Friday, or fax your order to 1 (888) 225-2483. Overnight delivery is available, if requested. Overnight delivery orders must be placed by 4:00 p.m. PST.

To make ordering easier, please have your customer number, the catalog number and the quantity of items you wish to order. Prices do not include applicable sales tax or shipping costs. Specifications and prices are subject to change without notification.

Please note that not all products are registered or available in every country/region. Please check with a Zimmer Dental representative for availability and additional information.

Images within this catalog not to scale.

Zimmer Dental accepts VISA, Mastercard and American Express.

Payment terms are net 30 or credit card. All payments must be in U.S. Dollars (no foreign currency accepted).

To order call:

In the U.S. 1 (800) 854-7019

To fax an order 1 (888) 225-2483

Outside the U.S. +1 (760) 929-4300

Return Policy

U.S. customers, please contact Zimmer Dental's Customer Service Department prior to returning product.

Please observe the following guidelines:

1. Customers may return **unopened and undamaged** Zimmer Dental product in its original package only. All returned product must be in saleable condition with the manufacturing seals intact.

2. Returned product must be accompanied by a Customer Return Number obtained from a Customer Service representative. If product is returned to Zimmer Dental without a Customer Return Number, a 15% restocking fee will be charged.

3. No credits, exchanges or refunds will be provided on discontinued product, product with a shelf life of less than six months, or instruments and tooling over 90 days. Credit or refund for returned items will be issued upon receipt and inspection of goods by Zimmer Dental.

4. All freight must be prepaid on returned merchandise.

5. Customer returning product within **30 days** of purchase may choose from the following options:
 - Full credit to customer account
 - Full exchange on product
 - Full refund

6. Customer returning product within **31-90 days** of purchase may choose from the following options:
 - Full credit to customer account
 - Full exchange on product

7. Customers returning product within **91-365 days** of purchase may choose from the following options:
 - Credit to customer account minus 15% restocking fee
 - Exchange on product minus a \$25 exchange fee for each exchanged item

8. For product returns **after 1 year** the following conditions apply:

- Only product exchanges are possible – original purchase will be credited to account, and new product will be billed at list price
- \$25 exchange fee will be charged per exchanged item

Puros® Allograft and CopiOs® Pericardium Membrane Return Policy

Please note: Zimmer Dental does not permit the return of or offer refunds for any *Puros* Allografts or *CopiOs* Pericardium Membranes.

Return Procedure

Contact Zimmer Dental's Customer Service Department at 1 (800) 854-7019 to obtain a Customer Return Number. This number must appear on the outside of the shipping box that contains the items being returned to Zimmer Dental.

Do not mark any of the product packages or labeling. Any returned package received without a Customer Return Number will be charged a 15% restocking fee. Returns will not be accepted for product that is not in saleable condition. Please send all packages, in a box, to the following address:

Zimmer Dental Inc.
Attn: Returns Department
6221 El Camino Real
Carlsbad, CA 92009

International customers, please contact a local Zimmer Dental agent or dealer for return policies.



Overview	2	
<i>System Color-Coding Charts, Zimmer® Trabecular Metal™ and Tapered Screw-Vent Implants</i>	3	
<i>Zimmer Trabecular Metal</i> Dental Implants	3	SURGICAL
<i>Tapered Screw-Vent</i> Implants	3	
<i>Zimmer One-Piece</i> Implants	9	
Healing Collars	12	
<i>Zimmer Trabecular Metal and Tapered Screw-Vent Prosthetics</i>	13	
Components for Impression Transfer	13	PROSTHETICS
Components for Provisional Restorations	14	
Components for Cement-Retained Restorations	15	
Custom Abutments	21	
Components for Screw-Retained Restorations	22	
Overdenture Attachments	24	
Prosthetic Tools	29	
Proprietary <i>Platform Plus™</i> Technology	30	
<i>AdVent® Implants</i>	31	
<i>AdVent</i> Implant Dimensions	32	SURGICAL
<i>AdVent Prosthetics</i>	33	
Components for Impression Transfer	33	PROSTHETICS
Components for Cement-Retained Restorations	34	
Components for Custom Restorations	35	
Components for Screw-Retained Restorations	36	
Overdenture Attachments	38	
<i>Surgical Accessories</i>	41	
<i>Zimmer</i> Surgical Motor System	41	SURGICAL ACCESSORIES
Surgical Handpieces	41	
<i>Surgical Instruments and Information</i>	43	
<i>Zimmer Instrument Kit System</i>		SURGICAL
Surgical Kits for <i>Zimmer Trabecular Metal</i> , <i>Tapered Screw-Vent</i> , <i>AdVent</i> Implants and <i>Zimmer Guided Surgery</i>	43	
<i>Zimmer Instrument Kit System</i> , <i>Zimmer One-Piece Module</i>	51	
<i>Zimmer Drill Stop Kit</i>	52	
Replacement and Miscellaneous Instrumentation	55	
<i>Regenerative Materials</i>	59	
Hard Tissue Augmentation	59	REGENERATIVE
Soft Tissue Augmentation	62	
Barrier Membranes	63	
Graft Containment and Wound Dressings	64	
Sinus Lift Solutions	65	
Screw-Fixation	66	
<i>Patient Education Materials</i>	67	
<i>Index</i>	68	INDEX

OVERVIEW




GENERAL INFORMATION

Zimmer Dental provides a comprehensive portfolio of innovative implant technologies designed to meet a broad range of clinical needs. For decades, Zimmer Dental has gained the trust of thousands of clinicians worldwide by helping them to **deliver successful patient outcomes**.

Zimmer continues to be a market leader in the development of world-class implantology products & educational programs - all focused on **empowering clinicians** and revolutionizing implant dentistry. Headquartered near San Diego in Carlsbad, California, Zimmer Dental has direct subsidiary operations in Australia, Canada, Chile, China, France, Germany, Israel, Italy and Spain, with a global network of distributors **in more than 70 countries worldwide**.



Zimmer Holdings, Inc. (NYSE and SWX: ZMH), parent company of Zimmer Dental Inc., designs, develops, manufactures and markets reconstructive orthopaedic implants, including joint and dental, spinal implants and trauma products, and related orthopaedic surgical products. Founded in 1927, Zimmer is headquartered in Warsaw, Indiana, with operations in more than 25 countries and products currently sold and represented in more than 100 countries. Nearly 8,000 employees worldwide proudly share a vision of improving the quality of patients' lives every day.



Note: Images shown in the catalog may not be to scale.

Implant Platform Color-Coding

The chart below indicates which color corresponds to each *Trabecular Metal* and *Tapered Screw-Vent* Implant's internal hex platform. 5.7mmD platform components are compatible with the 5.7mmD platform on *AdVent* Implants.

Implant Diameter	Implant Platform	Color-coding
3.7mmD	3.5mmD	● Green
4.1mmD	3.5mmD	
4.7mmD	4.5mmD	● Purple
6.0mmD	5.7mmD	● Yellow

Abutment Emergence Profile Compatibility

Colors correspond to the abutment emergence profile on *Hex-Lock*® Contour and Short Abutments, *Zimmer* One-Piece Implants and related Contour and Short Restorative Components.

Abutment Emergence Profile*	Color-coding
3.5mmD	● Light Blue
4.5mmD	● Tan
5.5mmD	● Rose
6.5mmD	● Yellow

*For *Hex-Lock* Contour and Short Restorative components.

Surgical Cover Screws

Catalog Numbers		
Implant Platform	Catalog No.	
● 3.5mmD	TSC	
● 4.5mmD	TSCW	
● 5.7mmD	TSC5	

1 (800) 854-7019
www.zimmerdental.com

Trabecular Metal Dental Implant, MTX® Surface, 0.5mm Machined Collar with Microgrooves

Includes Fixture Mount/Transfer and Cover Screw.



Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	10mmL	11.5mmL	13mmL	16mmL	
3.7mmD	● 3.5mmD	2.5mmD	TMMB10	TMMB11	TMMB13	TMMB16	
4.1mmD	● 3.5mmD*	2.5mmD	TMM4B10	TMM4B11	TMM4B13	•	
4.7mmD	● 4.5mmD	2.5mmD	TMMWB10	TMMWB11	TMMWB13	•	
6.0mmD	● 5.7mmD	3.0mmD	TMM6B10	TMM6B11	TMM6B13	•	

Trabecular Metal Dental Implant, MTX Surface, Fully Textured with Microgrooves

Includes Fixture Mount/Transfer and Cover Screw.



Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	10mmL	11.5mmL	13mmL	16mmL	
3.7mmD	● 3.5mmD	2.5mmD	TMTB10	TMTB11	TMTB13	TMTB16	
4.1mmD	● 3.5mmD*	2.5mmD	TMT4B10	TMT4B11	TMT4B13	•	
4.7mmD	● 4.5mmD	2.5mmD	TMTWB10	TMTWB11	TMTWB13	•	
6.0mmD	● 5.7mmD	3.0mmD	TMT6B10	TMT6B11	TMT6B13	•	

TSVT MTX: Tapered Screw-Vent Implants with Full MTX Surface Texturing and Microgrooves

Includes Fixture Mount/Transfer and Cover Screw.



Catalog Numbers								
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL	
3.7mmD	● 3.5mmD	2.5mmD	TSVTB8	TSVTB10	TSVTB11	TSVTB13	TSVTB16	
4.1mmD	● 3.5mmD*	2.5mmD	TSVT4B8	TSVT4B10	TSVT4B11	TSVT4B13	TSVT4B16	
4.7mmD	● 4.5mmD	2.5mmD	TSVTWB8	TSVTWB10	TSVTWB11	TSVTWB13	TSVTWB16	
6.0mmD	● 5.7mmD	3.0mmD	TSVT6B8	TSVT6B10	TSVT6B11	TSVT6B13	TSVT6B16	

TSVM MTX: Tapered Screw-Vent Implants with 0.5mm Machined Collar, MTX Surface and Microgrooves

Includes Fixture Mount/Transfer and Cover Screw.



Catalog Numbers								
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL	
3.7mmD	● 3.5mmD	2.5mmD	TSVMB8	TSVMB10	TSVMB11	TSVMB13	TSVMB16	
4.1mmD	● 3.5mmD*	2.5mmD	TSVM4B8	TSVM4B10	TSVM4B11	TSVM4B13	TSVM4B16	
4.7mmD	● 4.5mmD	2.5mmD	TSVMWB8	TSVMWB10	TSVMWB11	TSVMWB13	TSVMWB16	
6.0mmD	● 5.7mmD	3.0mmD	TSVM6B8	TSVM6B10	TSVM6B11	TSVM6B13	TSVM6B16	

* While the implant platform color code for the 4.1mmD *Tapered Screw-Vent* Implant is green, the implant surgical sequence is color-coded white on the surgical kit surface.

TSV™ MTX: Tapered Screw-Vent Implants with MTX Surface

Includes Fixture Mount/Transfer and Cover Screw.

Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL
3.7mmD	3.5mmD	2.5mmD	TSVB8	TSVB10	TSVB11	TSVB13	TSVB16
4.1mmD	3.5mmD*	2.5mmD	TSV4B8	TSV4B10	TSV4B11	TSV4B13	TSV4B16
4.7mmD	4.5mmD	2.5mmD	TSVWB8	TSVWB10	TSVWB11	TSVWB13	TSVWB16
6.0mmD	5.7mmD	3.0mmD	TSV6B8	TSV6B10	TSV6B11	TSV6B13	TSV6B16

TSVT MP-1® HA: Tapered Screw-Vent Implants with MTX Textured Collar, Microgrooves and MP-1 HA Dual Transition Selective Surface

Includes Fixture Mount/Transfer and Cover Screw.

Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL
3.7mmD	3.5mmD	2.5mmD	TSVTH8	TSVTH10	TSVTH11	TSVTH13	TSVTH16
4.1mmD	3.5mmD*	2.5mmD	TSVT4H8	TSVT4H10	TSVT4H11	TSVT4H13	TSVT4H16
4.7mmD	4.5mmD	2.5mmD	TSVTWH8	TSVTWH10	TSVTWH11	TSVTWH13	TSVTWH16
6.0mmD	5.7mmD	3.0mmD	TSVT6H8	TSVT6H10	TSVT6H11	TSVT6H13	TSVT6H16

TSVM MP-1 HA: Tapered Screw-Vent Implants with 0.5mm Machined Collar, Microgrooves and MP-1 HA Dual Transition Selective Surface

Includes Fixture Mount/Transfer and Cover Screw.

Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL
3.7mmD	3.5mmD	2.5mmD	TSVMH8	TSVMH10	TSVMH11	TSVMH13	TSVMH16
4.1mmD	3.5mmD*	2.5mmD	TSVM4H8	TSVM4H10	TSVM4H11	TSVM4H13	TSVM4H16
4.7mmD	4.5mmD	2.5mmD	TSVMWH8	TSVMWH10	TSVMWH11	TSVMWH13	TSVMWH16
6.0mmD	5.7mmD	3.0mmD	TSVM6H8	TSVM6H10	TSVM6H11	TSVM6H13	TSVM6H16

TSV MP-1 HA: Tapered Screw-Vent Implants with MP-1 HA Dual Transition Selective Surface

Includes Fixture Mount/Transfer and Cover Screw.

Catalog Numbers							
Implant Diameter	Implant Platform	Internal Hex Connection	8mmL	10mmL	11.5mmL	13mmL	16mmL
3.7mmD	3.5mmD	2.5mmD	TSVH8	TSVH10	TSVH11	TSVH13	TSVH16
4.1mmD	3.5mmD*	2.5mmD	TSV4H8	TSV4H10	TSV4H11	TSV4H13	TSV4H16
4.7mmD	4.5mmD	2.5mmD	TSVWH8	TSVWH10	TSVWH11	TSVWH13	TSVWH16
6.0mmD	5.7mmD	3.0mmD	TSV6H8	TSV6H10	TSV6H11	TSV6H13	TSV6H16

* While the implant platform color code for the 4.1mmD *Tapered Screw-Vent* Implant is green, the implant surgical sequence is color-coded white on the surgical kit surface.

Tapered Screw-Vent Implants Features/ Benefits

Platform Plus Technology

- Creates favorable conditions for bone-level maintenance^{1,3}
- Lead-in Bevel – designed to reduce horizontal stresses better than flat “butt-joint” connections^{3,4}
- Friction-Fit Connection – virtually eliminates abutment micromovement associated with screw loosening³
- 1.5mm Deep Internal Hex – shields the abutment retention screw from excess loading, distributing occlusal forces deep into the implant³

Designed for flexibility

- A two-stage or single-stage implant system
- Various coronal configurations including machined/textured collar with and without crestal microgrooves
- Two surface options including MTX Microtextured Surface and MP-1 HA Coating



1. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.
2. Chun HJ, Shin HS, Han CH, Lee SH. Influence of implant abutment type on stress distribution in bone under various loading conditions using finite element analysis. *Int J Oral Maxillofac Implants.* 2006;21:105-202.
3. Mihalko WM, May TC, Kay JF, Krause WR. Finite element analysis of interface geometry effects on the crestal bone surrounding a dental implant. *Implant Dent.* 1992;1:212-217.

1 (800) 854-7019
www.zimmerdental.com

TAPERED SCREW-VENT IMPLANT CELEBRATES 15 YEARS OF QUALITY


Documented prospective clinical survival rates for **1,553**

MTX-Textured Tapered Screw-Vent Implants:

- Implant survival rate mean **98.7%**⁵ (range from 95.1% to 100%)
- Follow-up times range from **3 to 120** months (mean = 36.4 months)

Primary stability achieved by using *Tapered Screw-Vent* Implants enables immediate loading in appropriately selected patients.^{4,6-9}

Insertion torque results* (Ncm)



* Average insertion torque in 50/30 bone foam block simulating a dense bone.

ZRM ZD 00034-00 ZRM ZD 00035-00 ZRR ZD 00060-00 addendum 1

Note: NobelActive and NobelReplace are trademarks of Nobel Biocare. Straumann is a trademark of Straumann Holding AG.

4. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.

5. Data on file with Zimmer Dental Inc.

6. Siddiqui AA, O'Neal R, Nummikoski P, Pituch D, Ochs M, Huber H, Chung W, Phillips K, Wang IC. Immediate loading of single-tooth restorations: one-year prospective results. *J Oral Implantol.* 2008;34:208-218.


7. Shiigai T. Pilot study in the identification of stability values for determining immediate and early loading of implants. *J Oral Implantol.* 2007;33:13-22.

8. Rosenlicht JL. Advancements in soft bone implant stability. *West Indian Dent J.* 2002;6:2-7.


9. Ormianer Z, Palti A. Long-term clinical evaluation of tapered multi-threaded implants: results and influences of potential risk factors. *J Oral Implantol.* 2006;32:300-307.

Crestal Options


Trabecular Metal Dental Implant



Trabecular Metal Dental Implants - Fully Textured with Microgrooves (Model TMT)




Trabecular Metal Dental Implants - 0.5mm Machined Collar with Microgrooves (Model TMM)




Crestal Options

Tapered Screw-Vent Implant




Tapered Screw-Vent Implants - 1.0mm Machined Collar (Model TSV)




* On HA Coated Implants, the 3mmL apex has an MTX Surface.

Tapered Screw-Vent Implants - Full Texturing and Crestal Microgrooves (Model TSVT)*



Tapered Screw-Vent Implants - 0.5mm Machined Collar with Crestal Microgrooves (Model TSVM)*



* TSVT and TSVM implants are also available with the *MP-1* HA Dual Transition Surface (not shown).

Zimmer One-Piece Solutions

Engineered to perform as well as the trusted and successful *Tapered Screw-Vent* Implant, *Zimmer One-Piece Implants* bring greater simplicity and convenience to the restoration process and deliver the esthetics your patients desire. The simple one-piece design allows for a single-stage protocol, saving time and resulting in less trauma to soft tissue, and less discomfort for your patients.

Zimmer One-Piece Implants feature:

- One-piece construction, eliminating micromovement and maximizing strength
- An integral, pre-contoured abutment, saving time
- Zimmer's proprietary *MTX* Surface, allowing for increased bone apposition and promoting osteoconductive capacity^{1,2}
- A tapered body in a narrow 3.0mmD size




1. Todisco M, Trisi P. Histomorphometric evaluation of 6 dental implant surfaces after early loading in humans. *J Oral Implantol* 2006;32. In press.

2. Trisi P, Marcato C, Todisco M. Bone-to-implant apposition with machined and MTX microtextured implant surfaces in human sinus grafts. *Int J Periodontics Restorative Dent* 2003;23(5):427-437.

Zimmer One-Piece Implants, Straight, with MTX Surface




Catalog Numbers

Implant Diameter	Abutment Emergence Profile	10mmL	11.5mmL	13mmL	16mmL
3.0mmD	 3.5mmD	ZOP30S10	ZOP30S11	ZOP30S13	•

Zimmer One-Piece Implants, 17°, with MTX Surface



Catalog Numbers


Implant Diameter	Abutment Emergence Profile	10mmL	11.5mmL	13mmL	16mmL
3.0mmD	 3.5mmD	ZOP30A10	ZOP30A11	ZOP30A13	•

Contour Healing Caps*

Choose caps to match the emergence profile of the *Zimmer One-Piece Implant* being restored.



Catalog Numbers

Emergence Profile	Straight	17°
 3.5mmD	ZOCHEAL3S	ZOCHEAL3A

*Call for availability.

Contour Restorative Kits

Includes 1 Contour Impression Cap, 1 Contour Waxing Coping, 1 Contour Abutment Analog (Plastic), and 1 Contour Provisional Coping. Choose parts to match the emergence profile of the *Zimmer One-Piece Implant* being restored.




Catalog Numbers

Emergence Profile	Straight	17°
 3.5mmD	ZCRKIT3S	ZCRKIT3A

Note: For a complete listing of Contour Restorative Components, please refer to page 17. Contour Caps and Copings are used for both *Hex-Lock* Contour Abutments and *Zimmer One-Piece Implants*.

Zimmer One-Piece Implants



Prosthetic Versatility.

By streamlining the implant restorative process with a more user-friendly, versatile, and innovative family of prosthetic options, Zimmer Dental has again reinforced its commitment to offering meaningful solutions to clinicians. An extensive range of easy-to-use choices are available for your restorative needs, including components for:

- Cement-Retained Restorations
- Screw-Retained Restorations
- Custom Restorations
- Overdenture Restorations
- Tissue Healing
- Impression Transfer
- Provisional Restorations

HOW IT FITS TOGETHER IS WHAT SETS IT APART.

Zimmer's proprietary friction-fit internal hex connection is a unique combination of designs that has been shown to reduce stress on crestal bone and resist abutment screw loosening, thus creating favorable conditions for bone level maintenance.¹⁻³

Platform Plus Technology

Zimmer's *Tapered Screw-Vent* Implant System features the exclusive *Platform Plus* Technology that creates highly favorable conditions for long-term crestal bone maintenance:


- **Lead-in Bevel** – Designed to reduce horizontal stresses better than flat “butt-joint” connections¹⁻³
- **Friction-Fit Connection** – Virtually eliminates abutment micromovement associated with screw loosening¹
- **1.5mm Deep Internal Hex** – Shields the abutment retention screw from excess loading¹

One-degree taper forms a friction-fit connection with the implant to **virtually eliminate micromovement**¹




Lead-in bevel designed to reduce **horizontal stresses** on crestal bone¹⁻³

1.5mm deep internal hex shields the retention screw from excess loading¹



Intimate contact between Zimmer's mated implant and abutment bevels.



Virtual cold weld that forms between Zimmer's internal hex implant and friction-fit abutment system.¹

1. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.

2. Chun HJ, Shin HS, Han CH, Lee SH. Influence of implant abutment type on stress distribution in bone under various loading conditions using finite element analysis. *Int J Oral Maxillofac Implants.* 2006;21:105-202.

3. Mihalko WM, May TC, Kay JF, Krause WR. Finite element analysis of interface geometry effects on the crestal bone surrounding a dental implant. *Implant Dent.* 1992;1:212-217.

Healing Collar Selection Guidelines


Selecting a Healing Collar:

- Determine the size of the implant platform
- Select the emergence profile that best suits the site being restored. The profile should match the transfer and abutment to be used
- Select the cuff height so that the top of the component protrudes slightly above the surrounding tissue. The options are 3mm, 5mm or 7mm


HC3 = 3.5mmD (Implant Platform) Healing Collar
HC4 = 4.5mmD (Implant Platform) Healing Collar
HC5 = 5.7mmD (Implant Platform) Healing Collar

Example:

HC343 = 3.5mmD (Implant Platform) Healing Collar
4.5mmD Emergence Profile, 3mm Cuff Height
(second digit equals profile, third digit equals height)



Healing Collars

Catalog Numbers					
	Implant Platform	Emergence Profile	3mm	Cuff Height 5mm	7mm
	● 3.5mmD	3.5mmD (No Flare)	HC333	HC335	•
	● 3.5mmD	4.5mmD	HC343	HC345	HC347
	● 3.5mmD	5.5mmD	HC353	HC355	•
	● 4.5mmD	4.5mmD (No Flare)	HC443	HC445	•
	● 4.5mmD	5.5mmD	HC453	HC455	HC457
	● 4.5mmD	6.5mmD	HC463	HC465	•
	● 5.7mmD	6.5mmD	HC563	HC565	•


Note: Call for availability.

Figure A



3.5mmD Platform 4.5mmD Platform 5.7mmD Platform

Figure B



The Healing Collars are anodized with color-coding on the lower portion to indicate the implant platform diameter [Fig. A]. The top surface of the Healing Collar is etched with three numbers [Fig. B] to reference implant platform diameter (left), emergence profile diameter (top right) and cuff height (lower right). The numbers for implant platform and emergence profile show only the initial digit of the related measurement. See chart above for full measurements.

Multi-Purpose Fixture Mount/ Transfer

Tapered Screw-Vent and Screw-Vent® Implants are packaged with a multi-functional Fixture Mount/Transfer.



Place the Implant

The Fixture Mount is used as a means to deliver the implant to the surgical site and provides convenient color-coded identification that matches the implant analogs.

● Green	3.5mmD Platform
● Purple	4.5mmD Platform
● Yellow	5.7mmD Platform


Implant-Level Transfer

The Fixture Mount then functions as a transfer that is conveniently pre-attached to the implant. Surgeons can take an immediate index or impression to complete the transfer, or restoring doctors can use it after the healing period.

Preparable Temporary Abutment

Upon complete manufacture of the implant model, the Fixture Mount may also be prepared and function as a temporary abutment for use while the final restoration is being fabricated.

Impression-Taking Flow Chart, Implant-Level Impression



Note: Part numbers shown in flow chart are an example for a 3.5mmD case with a 4.5mmD emergence profile. Refer to product listings for additional part numbers. The Fixture Mount/Transfer packaged with the implant may also be used for impression-taking.

Fixture Mount/Transfers

Includes a Retaining Screw (URS2). Can be used as a preparable temporary abutment.




Catalog Numbers			
	Implant Platform	Emergence Profile	Catalog No.
	● 3.5mmD	4.5mmD	FMT3
	● 4.5mmD	5.5mmD	FMT4
	● 5.7mmD	6.5mmD	FMT5
	Replacement Retaining Screw		URS2

Indirect Transfers (Closed-Tray Procedure)

Color-coded by implant platform. Includes a Retaining Screw.




Catalog Numbers					
	Implant Platform	3.5mmD	Emergence Profile 4.5mmD	5.5mmD	6.5mmD
	● 3.5mmD	HLT3/3	HLT3/4	HLT3/5	•
	● 4.5mmD	•	HLT4/4	HLT4/5	HLT4/6
	● 5.7mmD	•	•	•	HLT5/6
	3mm Extension Screw for Indirect Transfer	HLTE	HLTE	HLTE	HLTE
	Replacement Retaining Screw	HLTS2	HLTS2	HLTS2	HLTS2

Direct Transfers (Open-Tray Procedure) Color-coded by implant platform. Includes a Retaining Screw (DHTS).

Catalog Numbers						
	Implant Platform		3.5mmD	Emergence Profile		
			4.5mmD	5.5mmD	6.5mmD	
	 3.5mmD		DHT3/3	DHT3/4	DHT3/5	•
	 4.5mmD		•	DHT4/4	DHT4/5	DHT4/6
Replacement Retaining Screw			DHTS	DHTS	DHTS	DHTS



Note: Direct Transfers for open-tray procedures are not available for 6.0mmD implants with 5.7mmD platforms (please see **Indirect Transfers** on previous page).

Implant Analogs, Titanium Color-coded by implant platform.






Catalog Numbers	
Implant Platform	Catalog No.
 3.5mmD	IA3
 4.5mmD	IA4
 5.7mmD	IA5

Components for Provisional Restorations**Zimmer Plastic Temporary Abutments, Straight and Angled, 17°**

Includes Retaining Screw (PTSC) and Processing Screw (DHTS2).

Catalog Numbers				
	Implant Platform	Emergence Profile	Cuff Height	
			1mm	4mm
	3.5mmD	4.5mmD	PT341S	PT344S
	4.5mmD	5.5mmD	PT451S	PT454S
	5.7mmD	6.5mmD	PT561S	PT564S
	3.5mmD	4.5mmD	PT341A	PT344A
	4.5mmD	5.5mmD	PT451A	PT454A
	Replacement Retaining Screw, Long		DHTS2	DHTS2

Fixture Mount/Transfers Includes a Retaining Screw (URS2). Can be used as a preparable temporary abutment.

Catalog Numbers				
Implant Platform		Emergence Profile	Catalog No.	
	 3.5mmD		4.5mmD	FMT3
	 4.5mmD		5.5mmD	FMT4
	 5.7mmD		6.5mmD	FMT5
	Replacement Retaining Screw			URS2

Strong. Beautiful. Simple.


Easily attain beautiful esthetics with *Zimmer®* Contour Zirconia Abutments, which feature a pre-defined offset margin that is lower on the buccal aspect and higher on the lingual aspect to reduce or eliminate the need for preparations.

Zimmer Contour Zirconia Abutments feature:


- Strong zirconia material for a natural-looking, esthetic solution
- Pre-defined margins to minimize preparation time
- A titanium interface ring that provides a titanium-to-titanium connection for a precise fit between the implant and the abutment¹
- Abutment collars that are contoured below the margin, allowing space for soft tissue
- Straight and angled abutment options



Cement-Retained Restoration Flow Chart, Implant-Level Impression



Cement-Retained Restoration Flowchart, Abutment-Level Impression





Note: Part numbers shown in flow chart are an example for a 3.5mmD abutment with a 4.5mmD emergence profile. Refer to product listings for additional part numbers. Choose contour caps and copings to match the emergence profile of the *Hex-Lock* Contour Abutment or *Zimmer* One-Piece Implant being restored. Contour Abutment Analogs also available in plastic.

1. Joo W. Zimmer® Contour Ceramic Abutments. Precision-engineered for strength, esthetics & clinical versatility. *Dental Inc.* 2008;2:34-38.



Zimmer Contour Zirconia Abutments, Straight

Includes a Retaining Screw (AH20S).

Catalog Numbers				
Implant Platform	Emergence Profile	Cuff Height		
		1mm	2mm	
 3.5mmD	4.5mmD	ZRA341S	ZRA342S	
 4.5mmD	5.5mmD	ZRA451S	ZRA452S	
Replacement Retaining Screw		AH20S	AH20S	









**Zimmer Contour Zirconia Abutments, 17°**

Includes a Retaining Screw (AH20S).

Catalog Numbers				
Implant Platform	Emergence Profile	Cuff Height		
		1mm	2mm	
 3.5mmD	5.0mmD	ZRA351A	ZRA352A	
 4.5mmD	6.0mmD	ZRA461A	ZRA462A	
Replacement Retaining Screw		AH20S	AH20S	









**Hex-Lock Contour Abutments, Straight**

Includes a Retaining Screw (MHLAS).

Catalog Numbers					
Implant Platform	Emergence Profile	1mm	Cuff Height		
			2mm	3mm	
 3.5mmD	 4.5mmD	ZOA341S	ZOA342S	ZOA343S	
 4.5mmD	 4.5mmD	ZOA441S	ZOA442S	ZOA443S	
 4.5mmD	 5.5mmD	ZOA451S	ZOA452S	ZOA453S	
 5.7mmD	 6.5mmD	ZOA561S	ZOA562S	ZOA563S	
Replacement Retaining Screw		MHLAS	MHLAS	MHLAS	

**Hex-Lock Contour Abutments, 17°**

Includes a Retaining Screw (AH20S).

Catalog Numbers				
Implant Platform	Emergence Profile	Cuff Height		
		1mm	2mm	
 3.5mmD	 4.5mmD	ZOA341A	ZOA342A	
 4.5mmD	 4.5mmD	ZOA441A	ZOA442A	
 4.5mmD	 5.5mmD	ZOA451A	ZOA452A	
 5.7mmD	 6.5mmD	ZOA561A	ZOA562A	
Replacement Retaining Screw		AH20S	AH20S	



Hex-Lock Contour Abutments



Hex-Lock Contour Abutments are designed to save time and simplify the restorative process. The abutments feature reduced facial margins that mimic the profile of soft tissue, allowing for an esthetic result. *Hex-Lock* Contour Abutments are available in a variety of cuff heights and emergence profiles and can be used in both one and two-stage surgical protocols. The abutments feature Zimmer Dental's proprietary internal hex with friction-fit connection. When fully seated, this connection virtually eliminates micromovement¹, the leading cause of screw loosening.







A full complement of contour components aide in the restoration of *Hex-Lock* Contour Abutments. These components are also used to restore *Zimmer* One-Piece Implants.

- Color-coded, snap-on Contour Impression Caps allow for simple abutment-level impressions
- Contour Provisional Copings help in creating a provisional crown to shape gingival tissue while the final restoration is being fabricated
- Contour Abutment Analogs and Contour Waxing Copings assist the laboratory in fabrication of the final restoration
- Contour Impression Caps, Abutment Analogs, Provisional and Waxing Copings are available in a restorative kit or individually
- Contour Abutment Try-ins can be used in the laboratory or in the clinician's office

1. Muller HP, Eger T. Masticatory mucosa and periodontal phenotype: a review. *Int J Periodontics Restorative Dent.* 2002;22:172-183.
2. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.





1 (800) 854-7019
www.zimmerdental.com

Contour Abutment Try-ins and Try-in Kit

Catalog Numbers			
Implant Platform	Emergence Profile	Description	Cat No.
 3.5mmD	 4.5mmD	Set of 5: Various Angles, Cuff Heights	ZOAT34
 4.5mmD	 5.5mmD	Set of 5: Various Angles, Cuff Heights	ZOAT45
 5.7mmD	 6.5mmD	Set of 5: Various Angles, Cuff Heights	ZOAT56
All	All	3 Sets of 5: All Sizes	ZOATKIT







Contour Healing Caps*

Catalog Numbers		
Emergence Profile	Straight	17°
 3.5mmD	ZOCHEAL3S	ZOCHEAL3A
 4.5mmD	ZOCHEAL4S	ZOCHEAL4A
 5.5mmD	ZOCHEAL5S	ZOCHEAL5A
 6.5mmD	ZOCHEAL6S	ZOCHEAL6A







* Call for availability.

Contour Restorative Kits Includes 1 Contour Impression Cap, 1 Contour Waxing Coping, 1 Contour Abutment Analog (plastic), 1 Contour Provisional Coping. Choose parts to match the emergence profile of the *Hex-Lock* Contour Abutment or *Zimmer* One-Piece Implant being restored.

Catalog Numbers		
Emergence Profile	Straight	17°
 3.5mmD	ZCRKIT3S	ZCRKIT3A
 4.5mmD	ZCRKIT4S	ZCRKIT4A
 5.5mmD	ZCRKIT5S	ZCRKIT5A
 6.5mmD	ZCRKIT6S	ZCRKIT6A







Contour Provisional Copings

Catalog Numbers		
Emergence Profile	Straight	17°
 3.5mmD	ZCPROV3S	ZCPROV3A
 4.5mmD	ZCPROV4S	ZCPROV4A
 5.5mmD	ZCPROV5S	ZCPROV5A
 6.5mmD	ZCPROV6S	ZCPROV6A



Contour Impression Caps

Catalog Numbers		
Emergence Profile	Straight	17°
 3.5mmD	ZOCIMP3S	ZOCIMP3A
 4.5mmD	ZOCIMP4S	ZOCIMP4A
 5.5mmD	ZOCIMP5S	ZOCIMP5A
 6.5mmD	ZOCIMP6S	ZOCIMP6A



Contour Abutment Analogs, Titanium

Catalog Numbers

Emergence Profile

Straight

Angled



3.5mmD	TCANA3S	TCANA3A
4.5mmD	TCANA4S	TCANA4A
5.5mmD	TCANA5S	TCANA5A
6.5mmD	TCANA6S	TCANA6A

Contour Waxing Copings

Catalog Numbers

Emergence Profile

Straight

17°



3.5mmD	ZOCWAX3S	ZOCWAX3A
4.5mmD	ZOCWAX4S	ZOCWAX4A
5.5mmD	ZOCWAX5S	ZOCWAX5A
6.5mmD	ZOCWAX6S	ZOCWAX6A

Hex-Lock Short Abutments

Includes a Retaining Screw (MHLAS).

Catalog Numbers

Implant Platform

Emergence Profile

Cuff Height

1mm

2mm



3.5mmD	4.5mmD	SA341	SA342
4.5mmD	5.5mmD	SA451	SA452
5.7mmD	6.5mmD	SA561	SA562
Replacement Retaining Screw		MHLAS	MHLAS

Short Healing Caps

Catalog Numbers

Emergence Profile

Catalog No.




4.5mmD	SAHEAL4
5.5mmD	SAHEAL5
6.5mmD	SAHEAL6

Hex-Lock Short Abutment and Restorative System



Posterior restorations made simple, immediate and convenient




Posterior restorations present many challenges for both clinicians and labs. Limited interocclusal space in which to work, reduced visibility and of course, time-consuming prep work.



Designed to simplify the entire posterior restoration process, the Short Abutment System is both effective and easy to use. With its short cone eight, predetermined margins and off-the-shelf convenience, chair and preparation times can be significantly reduced. The restorative protocol is the same as the popular *Hex-Lock* Contour Abutment line, utilizing snap-on impression caps for easy impression-taking and prefabricated copings for provisionization and the fabrication of the final restoration.




Short Restorative Kits

Includes 1 Short Impression Cap, 1 Short Waxing Coping, 1 Short Abutment Analog, 1 Short Provisional Coping. Choose parts to match the emergence profile of the *Hex-Lock* Short Abutment being restored.

Catalog Numbers		
	Emergence Profile	Catalog No.
	 4.5mmD	SARKIT4
	 5.5mmD	SARKIT5
	 6.5mmD	SARKIT6






Short Provisional Copings

Catalog Numbers		
	Emergence Profile	Catalog No.
	 4.5mmD	SAPROVP4
	 5.5mmD	SAPROVP5
	 6.5mmD	SAPROVP6






Short Impression Caps

Catalog Numbers		
	Emergence Profile	Catalog No.
	 4.5mmD	SAIMP4
	 5.5mmD	SAIMP5
	 6.5mmD	SAIMP6






Short Abutment Analogs, Titanium

Catalog Numbers		
	Emergence Profile	Catalog No.
	 4.5mmD	SAANA4
	 5.5mmD	SAANA5
	 6.5mmD	SAANA6



Short Waxing Copings

Catalog Numbers		
	Emergence Profile	Catalog No.
	 4.5mmD	SAWAX4
	 5.5mmD	SAWAX5
	 6.5mmD	SAWAX6



Hex-Lock Abutment Selection and Preparation Guidelines


Selecting a Hex-Lock Abutment:

- Determine the size of implant platform.
- Select the emergence profile that best suits the site being restored.
The profile should match the Healing Collar and Transfer used.

HLA3 = 3.5mmD (Implant Platform) Hex-Lock Abutment
 HLA4 = 4.5mmD (Implant Platform) Hex-Lock Abutment
 HLA5 = 5.7mmD (Implant Platform) Hex-Lock Abutment
 /3 = 3.5mmD Wide Emergence Profile
 /4 = 4.5mmD Wide Emergence Profile
 /5 = 5.5mmD Wide Emergence Profile
 /6 = 6.5mmD Wide Emergence Profile



Preparation guidelines:

The abutments have one score line placed 4.7mm above the top of the implant.
 When using the MHLAS Screw (included with the abutment), the maximum preparation on the abutment is 1mm below this line. If using the taller HLTS2 Screw (sold separately), do not prepare below the score line in order to preserve adequate hex engagement with the screw.




Hex-Lock Abutments

Includes a Retaining Screw (MHLAS).

Catalog Numbers					
	Implant Platform	3.5mmD	Emergence Profile		
			4.5mmD	5.5mmD	6.5mmD
	● 3.5mmD	HLA3/3	HLA3/4	HLA3/5	•
	● 4.5mmD	•	HLA4/4	HLA4/5	HLA4/6
	● 5.7mmD	•	•	•	HLA5/6
	Replacement Retaining Screw, Short	MHLAS	MHLAS	MHLAS	MHLAS
	Replacement Retaining Screw, Long	HLTS2	HLTS2	HLTS2	HLTS2

Angled Abutments, 20°, for 6 Positions

Two-piece abutment for 6 positions. Includes a Retaining Screw (AH20S).

Catalog Numbers			
	Implant Platform	Emergence Profile	Catalog No.
	● 3.5mmD for 6 Positions	4.5mmD	AH20/4
	● 4.5mmD for 6 Positions	5.5mmD	AH20W/5
	● 5.7mmD for 6 Positions	6.5mmD	A5H20/6
	Replacement Retaining Screw	•	AH20S

Zimmer® Angled Tapered Abutments




The Angled Tapered Abutment gives you the ability to use surgical protocols that place implants off-axis. This allows you to maximize use of available bone, avoid the alveolar nerve and sinus and minimize the cantilevers for the prosthesis.

Angled Tapered Abutments are available in 15 and 30 degree options in multiple cuff heights. The Angled Tapered Abutment shares the same restorative platform as the Tapered Abutments so there's no need to learn new restorative techniques.








Custom Restoration Flow Chart



Note: Part numbers shown in flow chart are an example for a 4.5mmD case with a 5.5mmD emergence profile. Refer to product listings for additional part numbers.



“Cast-To” Gold Abutments, Engaging

Includes Retaining Screw (MHLAS).

Catalog Numbers		
	Implant Platform	Catalog No.
	 3.5mmD	HLA3G
	 4.5mmD	HLA4G
	 5.7mmD	HLA5G
Replacement Retaining Screw		MHLAS
		MTWSD


“Cast-To” Gold Abutments, Non-Engaging

Includes Retaining Screw (MHLAS).


Catalog Numbers		
	Implant Platform	Catalog No.
	 3.5mmD	NEA3G
	 4.5mmD	NEA4G
Replacement Retaining Screw		MHLAS

Zimmer Patient Specific Abutments

Available in titanium and zirconia.

Catalog Numbers	
	Computer-aided design and custom-milled precision.
	Please contact a Zimmer Dental representative for additional information.
Note: Patient Specific Abutments are only available in the select markets.	

Screw-Retained Restoration Flow Chart






Note: Part numbers shown in flow chart are an example for a 3.5mmD case with a 2mm collar height. Refer to product listings for additional part numbers. When completing the restoration, Plastic Copings (ACTP) and Titanium Copings (ACTT and TTC5) are also available.

Tapered Abutments

Tapered Abutments are for multiple-unit, screw-retained restorations. Abutments do not engage internal hex connection. Not for use in single-unit. Includes a Healing Cap (TATHC).



Catalog Numbers

Implant Platform	0.75mm	2mm	Cuff Height 3mm	4mm	5mm
 3.5mmD	TAC1	TAC2	TAC3	TAC4	TAC5
 4.5mmD	TACW1	TACW2	TACW3	TACW4	TACW5
 5.7mmD	TA5C1	TA5C2	TA5C3	TA5C4	•

Angled Tapered Abutment, 15°

Angled Tapered Abutments are for multiple-unit, screw-retained restorations. Abutment retaining screw is preassembled in the abutment. Each abutment includes an abutment delivery tool.



Catalog Numbers

Implant Platform	1mm/2mm	Cuff Height 2mm/3mm	3mm/4mm
 3.5mmD	15AT312	15AT323	15AT334
 4.5mmD	15AT412	15AT423	15AT434

Angled Tapered Abutment, 30°


Angled Tapered Abutments are for multiple-unit, screw-retained restorations. Abutment retaining screw is preassembled in the abutment. Each abutment includes an abutment delivery tool.

Catalog Numbers

Implant Platform	2mm/4mm	Cuff Height 3mm/5mm	4mm/6mm
 3.5mmD	30AT324	30AT335	30AT346
 4.5mmD	30AT424	30AT435	30AT446

Overdenture Attachments

Locator® Attachments are available for the *Tapered Screw-Vent* Dental Implant System.



The *Locator* Overdenture Attachment is the ideal solution for overdenture restorations.

- **Low Profile.** A low vertical height makes the *Locator* Overdenture Attachment an effective option for treatment of a wider range of patients
- **Easy for Patients.** Self-locating attachment gives patients the ability to easily position and place their overdentures
- **Predictable.** Dual-retention and tremendous durability ensure long-lasting stability and performance¹
- **Versatile.** A variety of options for retention and angulation correction lets you tailor the case to fit the needs of the patient


To select the proper abutment, measure the tissue from the top of the implant to the top of the soft tissue. Take measurements buccal, lingual, mesial and distal and use the tallest measurement. Select the abutment cuff height which matches the tallest tissue measurement. Round up to the next cuff height if necessary. The abutment will protrude 1.5mm above the tissue in order to allow engagement of the metal housing.

1. Data on file with Zest Anchors, LLC.

Tapered Abutment Healing Cap

Healing Cap threads onto the Tapered Abutment and Angled Tapered Abutment.




Catalog Numbers

Description	Catalog No.
 Tapered Abutment Titanium Healing Cap	TATHC

Tapered Abutment Transfer Components

Transfers thread onto the Tapered Abutment and Angled Tapered Abutments for impression-taking. This method transfers the abutment position.






Catalog Numbers

Description	Catalog No.
 Tapered Abutment Direct Transfer (Open-Tray) Includes Transfer Screw (SCDTS)	ACTDT
 Tapered Abutment Indirect Transfer (Closed-Tray)	ACTIT
 Tapered Abutment Replica	ACTR


Tapered Abutment Copings, Sheaths and Bar Systems

The copings listed below fit over the Tapered Abutment and Angled Tapered Abutment and are secured with a Coping Screw.




Catalog Numbers

Description	Height/ Length	Catalog No.
 Tapered Abutment Gold Coping Includes Screw (SCTS)	•	ACTGC
 Titanium Temporary Coping Includes Screw (SCTS)	9.5mm	ACTT
 Plastic Castable Coping Includes Screw (SCTS)	5mm	ACTP
 Bar Gold Coping – Includes Screw (SCTS)	3mm	TGC3
 Bar Gold Coping, Long – Includes Screw (SCTS)	5mm	TGC5
 Titanium Bar Coping Includes Screw (SCTS)	5mm	TTC5
 Replacement Screw for Copings	•	SCTS
 Tapered Abutment Waxing Screw	12mm	SCWS
 Reamer for Tapered Abutment Copings	•	PR





Locator® Overdenture Restoration Flowchart



Locator Abutments for Tapered Screw-Vent and Screw-Vent Implants

Catalog Numbers							
Implant Platform	0mm	1mm	2mm	Cuff Height		5mm	6mm
				3mm	4mm		
 3.5mmD	TLOC3/0	TLOC3/1	TLOC3/2 (2.5mm)	TLOC3/3 (3.5mm)	TLOC3/4 (4.5mm)	TLOC3/5 (5.5mm)	TLOC3/6 (6.5mm)
 4.5mmD	TLOC4/0	TLOC4/1	TLOC4/2	TLOC4/3	TLOC4/4	TLOC4/5	TLOC4/6
 5.7mmD	•	TLOC5/1	TLOC5/2	TLOC5/3	TLOC5/4	•	•

Locator Attachment Components

Catalog Numbers		
Description	Qty.	Catalog No.
 Locator Abutment Holder Sleeve (used with Core Tool to deliver the abutment)	4	LOCAH4
Locator Abutment Holder Sleeve	20	LOCAH20
 Male Processing Package, Includes 2 Each of Metal Housings with Black Processing Males, Block-Out Spacers, Clear, Pink and Blue Replacement Males	2 Ea.	LOCMP2
Male Processing Package, Includes 10 Each of Parts Listed Above	10 Ea.	LOCMP10
 Extended Range Male Processing Package, Includes 2 Each of Metal Housings with Black Processing Males, Block-Out Spacers, Green, Orange and Red Replacement Males	2 Ea.	LOCMPX2
Extended Range Male Processing Package, Includes 10 Each of Parts Listed Above	10 Ea.	LOCMPX10
 Paralleling Post	4	LOCPP

Locator® Bar Attachments








The Bar Attachment system is available for use when splinting of implants is desired to increase the stability of a bar. The system encompasses the same features as the proprietary Implant Abutments:

- Proprietary pivoting technology provides resilient connection without loss of retention
- Self-aligning design allows the patient the ability to easily position and place their bar overdenture.
- Dual retention for long-lasting durability and performance
- Low attachment profile for limited interocclusal space






The Bar Attachment System provides three options for the fabrication of a resilient attachment on an implant-retained cast alloy or milled titanium bar: a Drill and Tap System, a Laser Welding System, and a “Cast-To” Option.







Locator Attachment Components (continued)

Catalog Numbers			
	Description	Qty.	Catalog No.
	Replacement Male, 5 lbs. (Clear)	4	LOCRMW
	Replacement Male, Light Retention, 3 lbs. (Pink)	4	LOCRMP
	Replacement Male, Extra Light Retention, 1.5 lbs. (Blue)	4	LOCRMB
	Extended Range Replacement Male, 4 lbs. (Green)	4	LOCRMG
	Extended Range Replacement Male, 2 lbs. (Orange)	4	LOCRMO
	Extended Range Replacement Male, Light Retention, 1 lb. (Red)	4	LOCRMRR
	Non-Retentive Replacement Male, Zero Retention, (Gray)	4	LOCRMGY

Locator Abutment Transfer Components

Catalog Numbers			
	Description	Qty.	Catalog No.
	Impression Coping, Includes Black Processing Male	4	LOCIMP
	Female Analog, 4.0mmD	4	LOCAN/4
	Locator Processing Spacer (used to create space in the denture for chairside pick-up)	4	LOCPS4

Locator Tools

Catalog Numbers			
	Description	Qty.	Catalog No.
	Locator Core Tool	1	LOCCT2
	Locator Abutment Holder Sleeve (used with Core Tool to deliver the abutment)	4	LOCAH4
	Locator Abutment Holder Sleeve	20	LOCAH20
	Locator Core Tool Replacement Tip (fits LOCCT2)	1	LOCCTR
	Torque Wrench, Restorative (adjustable torque range 10 Ncm – 35 Ncm)	1	TWR
	Locator Torque Wrench Insert Driver, Short, 15mmL	1	LOCTW15
	Locator Torque Wrench Insert Driver, Long, 21mmL	1	LOCTW21

Locator® Bar Attachment System – Drill and Tap Components**Catalog Numbers**

Description	Qty.	Catalog No.
Locator Bar Female (2mm thread)	2	LOCBF2
Locator Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue Replacement Males, and 4 Each of Block-Out Spacers	2	LOCBPP
Locator Bar Drill and Tap Holder	1	LOCPTH
Locator 2.0mm Castable Threaded Insert (optional)	10	LOCCTI
Locator 2.0mm Bar Tap (2mm thread)	1	LOCBT2
Locator 1.7mm Bar Drill (2mm thread)	1	LOCBD

Locator Bar Attachment System – Laser Weld Components**Catalog Numbers**

Description	Qty.	Catalog No.
Locator Laser Bar Female (stainless steel)	2	LOCLBF
Locator Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue Replacement Males, and 4 Each of Block-Out Spacers	2	LOCBPP
Locator Paralleling Mandrel	1	LOCPMAND

Locator Bar Attachment System – “Cast-To” Components**Catalog Numbers**

Description	Qty.	Catalog No.
Locator “Cast-To” Bar Female	2	LOCCTB
Locator Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue Replacement Males, and 4 Each of Block-Out Spacers	2	LOCBPP
Locator Paralleling Mandrel	1	LOCPMAND

Zimmer Institute

Zimmer Dental is committed to providing dental professionals with the educational programs needed to **complement skill sets** and help clinicians **achieve unprecedented levels of professional satisfaction and success**. The world-class learning environment at the Zimmer Institute provides a unique opportunity for dental professionals to refine and enhance their skills. The emphasis on repetition through simulation enables participants to return home and immediately incorporate their learning experience into their own practice.

Beyond the classroom.

Zimmer Institute transforms the traditional classroom into a **revolutionary consultative collaboration**, featuring high-definition cameras and streaming video capabilities that elevate didactic sessions to a higher level of learning. In Zimmer Institute's **Simulated Patient Training (SimLab)**, clinicians are presented with **real-life scenarios**, enabling practice of patient case exploration, case discussions and authentic supporting documentation on surgical and restorative mannequins.

For more information about course enrollment, contact a Zimmer sales representative at 1 (800) 854-7019.



ZIMMER INSTITUTE EAST
Parsippany, NJ
New York
Metropolitan Area



ZIMMER INSTITUTE WEST
Carlsbad, CA



ZIMMER INSTITUTE COLOMBIA
Bogotá, Colombia




ZIMMER INSTITUTE EUROPE
Winterthur, Switzerland

Ball Abutment Selection Guidelines


Selecting a Ball Abutment:

- Determine the size of implant platform.
- Measure the tissue depth at its highest point from the implant platform.
- Select the cuff height of the component 1mm longer than the tissue depth so the abutment collar protrudes slightly above the surrounding tissue. The options are 2mm, 4mm and 6mm. (6mm not available for 5.7mmD platform.)

BAC = 3.5mmD Ball Abutment
BACW = 4.5mmD Ball Abutment
BA5C = 5.7mmD Ball Abutment
2 = 2mm Cuff Height
4 = 4mm Cuff Height
6 = 6mm Cuff Height



Overdenture Restoration Flow Chart



Note: Part numbers shown in flow chart are an example for a 3.5mmD case with a 4mm cuff height. Refer to product listings for additional part numbers.



Ball Abutments

Abutments do not engage internal hex connection. Includes Cap Attachment Housing and Nylon Liner.









Catalog Numbers

Implant Platform	Cuff Height		
	2mm	4mm	6mm
3.5mmD	BAC2	BAC4	BAC6
4.5mmD	BACW2	BACW4	BACW6
5.7mmD	BA5C2	BA5C4	•

Ball Abutment Transfer Components

Catalog Numbers		
	Description	Catalog No.
	Ball Abutment Transfer (package of 2)	BAT
	Ball Abutment Replica	BAR

Prosthetic Components

Catalog Numbers		
	Description	Catalog No.
	Cap Attachment System Includes 4 Nylon Liners, 2 Positioning Rings, 4 Housings and 4 Castable Ball Patterns	CAS
	Cap Attachment Instruments Includes Seating Tool, Reamer and Paralleling Tool	CAI
	Cap Attachment Housing (CAH) / Cap Attachment Nylon Liner (CAN)	CA
	Cap Attachment Housing	CAH
	Cap Attachment Nylon Liner (Transparent)	CAN
	Cap Attachment Nylon Liner (Gray — Rigid Retention)	CAN-G
	Cap Attachment Transfer (Yellow)	CAT
	Castable Ball Pattern (2 balls per pattern)	CAB
	Micro Cap Attachment Nylon Liner	CANM

Prosthetic Simplicity for New Restoring Clinicians

Tapered Screw-Vent, Screw-Vent and Advent Implants provide restoring clinicians simplicity and ease of use, with a minimum investment in prosthetic tools and torque wrenches.

Please find recommended instrumentation for new users listed below:

Catalog No.	Description
HXGR1.25	Hex Driver, Short, with <i>GemLock</i> ® Retention
HXLGR1.25	Hex Driver, Long, with <i>GemLock</i> Retention
HX1.25	Hex Driver, Short
HXL1.25	Hex Driver, Long
TWR	Torque Wrench, Restorative (Adjustable Torque Range 10 Ncm – 35 Ncm)
TW1.25	Torque Wrench Hex Driver, Short
TW1.25L	Torque Wrench Hex Driver, Long
TLRT2	Removal Tool for Internal Hex Abutments
2320	Autoclavable Prosthetic Kit Tray




















Optional (*Locator* Overdenture Tools)

LOCTW15	<i>Locator</i> Torque Wrench Insert Driver, Short, 15mmL
LOCTW21	<i>Locator</i> Torque Wrench Insert Driver, Long, 21 mmL
LOCCT2	<i>Locator</i> Core Tool



HXLGR1.25
Hex Driver, Long,
with *GemLock*
Retention



Prosthetic Tools

Catalog Numbers		
	Description	Catalog No.
	Hex Driver, Short, with <i>GemLock</i> Retention (1.25mmD, 22mmL)	HXGR1.25
	Hex Driver, Long, with <i>GemLock</i> Retention (1.25mmD, 30mmL)	HXLGR1.25
	Hex Driver, Short, Standard (1.25mmD, 17mmL)	HX1.25
	Hex Driver, Long, Standard (1.25mmD, 22mmL)	HXL1.25
	Latch-Lock Hex Driver (Short) for Surgical and Prosthetic Screws (may require Reduction Handpiece) (1.25mmD, 23mmL)	HX1.25D
	Latch-Lock Hex Driver (Long) for Surgical and Prosthetic Screws (may require Reduction Handpiece) (1.25mmD, 26mmL)	HXL1.25D
	Torque Wrench, Restorative (adjustable torque range 10 Ncm – 35 Ncm)	TWR
	Torque Wrench Hex Driver, Short (1.25mmD, 17mmL)	TW1.25
	Torque Wrench Hex Driver, Long (1.25mmD, 22mmL)	TW1.25L
	<i>Locator</i> ® Torque Wrench Insert Driver, Short, 15mmL	LOCTW15
	<i>Locator</i> Torque Wrench Insert Driver, Long, 21mmL	LOCTW21
	<i>Locator</i> Core Tool	LOCCT2
	<i>Locator</i> Core Tool Replacement Tip (fits LOCCT)	LOCCTR
	Prosthetic Kit Tray, Autoclavable (empty)	2320
	Removal Tool for Internal Hex Implant Abutments	TLRT2
	Removal Screw for Internal Hex Implant Abutments	HLRS
	Abutment Holder (requires Implant Analog to attach abutments)	ABTH
	Removal Tool for Abutment Screws or Fixation Screws with 1.25mmD Hex, Carbide Steel (do not autoclave)	SRT
	Octagon/Hexagon Removal Tool for 20° Abutment Internal Connection	OHRT

LEVERAGING PLATFORM PLUS TECHNOLOGY

The **Platform Plus Technology** difference—what no other implant can offer.

- The internal hex creates a **friction-fit connection** that shields the crestal bone from occlusal force^{1,2}
- The lead-in bevel connection **reduces horizontal stresses** better than flat “butt-joint” connections¹⁻³
- The 1.5mm deep internal hex **distributes bite force** deep into the implant¹⁻³
- The internal connection is designed to **ensure ease of use** in restoration:
 - » The lead-in bevel offers assuredness in abutment orientation, providing a positive seating during placement
 - » 1mm margin provides a guide for the final restoration to ensure esthetic goals



1. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.
2. Mihalko WM, May TC, Kay JF, Krause WP. Finite element analysis of interface geometry effects on the crestal bone surrounding a dental implant. *Implant Dent.* 1992;1:212-217.
3. Chun HJ, Shin HS, Han CH, Lee SH. Influence of implant abutment type on stress distribution in bone under various loading conditions using finite element analysis. *Int J Oral Maxillofac Implants.* 2006;21:105-202.

AdVent Option

All *AdVent* Implants feature Zimmer Dental’s proprietary *Platform Plus* Technology designed to create favorable conditions for bone-level maintenance.^{1,3} The *AdVent* Implant is available with Zimmer’s proprietary *MTX* Surface.

MTX Surface has been shown to allow for increased bone apposition compared to machined surfaces.^{4,7}

- Greater than 90% BIC as compared to 42-77% BIC achieved by TPS-coated, sandblasted and acid-etched, oxidized and HA-coated surfaces placed in grafted human sinuses.⁴



ADVENT IMPLANTS WITH TAPERED DESIGN

Enhanced Initial Stability. Following Zimmer Dental’s soft bone surgical protocol, a tapered implant may be inserted into a straight, undersized osteotomy to compress soft bone for enhanced initial stability.¹

Increased Placement Options.
The tapered design allows placement between convergent roots, in areas with labial or lingual concavities, and in immediate extraction sites.

Color-Coding for AdVent Implants

Implant Diameter	Implant Platform	Color-coding
3.7mmD	4.5mmD	
4.7mmD	4.5mmD	
4.7mmD	5.7mmD	● Yellow

The wide platform *AdVent* Implant is an ideal option for use in posterior cases and for overdenture restorations. It features a 5.7mmD prosthetic platform and utilizes *Tapered Screw-Vent* 5.7mmD platform prosthetics. Surgically, it uses the same drilling sequence as 4.7mmD *AdVent* Implants.


AdVent Implants with MTX Surface

Includes Cover Screw and Implant Extender/Healing Cuff.




Catalog Numbers						
Implant Diameter	Implant Platform	Connection	8mmL	10mmL	13mmL	16mmL
3.7mmD	4.5mmD	3.0mmD Internal Hexagon	AVB8	AVB10	AVB13	AVB16
4.7mmD	4.5mmD	3.0mmD Internal Hexagon	AVWB8	AVWB10	AVWB13	AVWB16
4.7mmD	● 5.7mmD	3.0mmD Internal Hexagon	AV6B8	AV6B10	AV6B13	AV6B16

Note: *AdVent* Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see pages 13-29).

AdVent Implants



Surgical Cover Screws and Implant Extender/Healing Cuff, 4.5mmD Platform

Catalog Numbers					
	Description	Implant Platform	Emergence Profile	Height	Catalog No.
	AdVent Flared Surgical Cover Screw	4.5mmD	5.1mmD	1.5mm	AVFSC
	AdVent Flat Surgical Cover Screw	4.5mmD	4.5mmD	0.5mm	AVSC
	AdVent Implant Extender/Healing Cuff	4.5mmD	4.5mmD	3mm	AVE

1. Binon PP. The evolution and evaluation of two interference-fit implant interfaces. *Postgraduate Dent.* 1996;3:3-13.

2. Mihalko WM, May TC, Kay JF, Krause WP. Finite element analysis of interface geometry effects on the crestal bone surrounding a dental implant. *Implant Dent.* 1992;1:212-217.

3. Chun HJ, Shin HS, Han CH, Lee SH. Influence of implant abutment type on stress distribution in bone under various loading conditions using finite element analysis. *Int J Oral Maxillofac Implants.* 2006;21:105-202.

4. Todisco M, Trisi P. Histomorphometric evaluation of six dental implant surfaces after early loading in augmented human sinuses. *J Oral Implantol.* 2006;32(4):153-166.

5. Trisi P, Marcato C, Todisco M. Bone-to-implant apposition with machined and MTX microtextured implant surfaces in human sinus grafts. *Int J Periodontics Restorative Dent.* 2003;23(5):427-437.

6. Siddiqui AA, O'Neal R, Nummikoski P, Pituch D, Ochs M, Huber H, Chung W, Phillips K, Wang IC. Immediate loading of single-tooth restorations: one-year prospective results. *J Oral Implantol.* 2008;34:208-218.

7. Cannizzaro G, Leone M. Restoration of partially edentulous patients using dental implants with a microtextured surface: A prospective comparison of delayed and immediate full occlusal loading. *Int J Oral Maxillofac Implants.* 2003;18(4):512-522.

8. Burgess AV, Story BJ, La D, Wagner WR, LeGeros JP. Highly crystalline MP-1 hydroxylapatite coating. Part I: In vitro characterization and comparison to other plasma-sprayed hydroxylapatite coatings. *Clin Oral Implants Res.* 1999;10:245-256.

9. Burgess AV, Story BJ, Wagner WR, Trisi P, Pikos MA, Guttenberg SA. Highly crystalline MP-1 hydroxylapatite coating. Part II: in vivo performance on endosseous root implants in dogs. *Clin Oral Implants Res.* 1999;10:257-266.

10. Pikos MA, Cannizzaro G, Korompilas L, Turrillas EA, El Askary AES, Rao W, Carusi G, Lauverjat YMP. International retrospective multicenter study of 8130 HA-coated cylinder implants: 5-year survival data. *Int Mag Oral Implantol.* 2002;3(1):6-15.

11. Thierer T, et al. Five-year prospective clinical evaluation of highly crystalline HA MP-1-coated dental implants. *J Oral Implantol.* 2008;34:39-46.

AdVent Restorative Options

The *AdVent* System offers a complete assortment of prosthetics to support all of your restorative needs.

Hex-Lock Straight and 20° Angled Abutments are used for cement-retained restorations, offering the clinician the familiarity of traditional crown and bridge procedures.

“Cast-To” Gold Abutments are available for custom restorations for single tooth and multiple teeth restorations. The Engaging “Cast-To” Gold Abutment is used for single tooth and may be used for either screw-retained



or cement-retained restorations. Non-engaging “Cast-To” Gold Abutments are utilized for custom multiple-unit, screw-retained applications.

The Tapered Abutment offers multiple cuff height options for multiple-unit, screw-retained restorations, including overdenture bar options.

Additional overdenture options are available with the popular *Locator*® Abutments and Ball Attachments.




AdVent Implants are offered in two restorative platform options: 4.5mmD and 5.7mmD. The 5.7mmD platform utilizes *Tapered Screw-Vent* 5.7mmD components.

Impression-Taking Flow Chart





Transfer Components for AdVent Implants, 4.5mmD Platform

AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 13 & 14), except AV6R below.

Catalog Numbers			
	Description	Emergence Profile	Catalog No.
	<i>AdVent</i> Indirect Transfer (Closed-Tray) Includes Retaining Screw (AVITS)	4.5mmD	AVIT/4
	Replacement Retaining Screw	•	AVITS
	Retaining Screw, Long, for Direct Transfer (Open-Tray) – Use with AVIT/4	•	DHTS
	<i>AdVent</i> Implant Replica, 4.5mmD Platform	•	AVR
	<i>AdVent</i> Implant Replica, 5.7mmD Platform	•	AV6R

Fixture Mount/Transfers for AdVent Implants

Includes a Retaining Screw (URS4 for 4.5mmD platform and URS2 for 5.7mmD platform).
Can be used as a preparable temporary abutment.

Catalog Numbers		
	Implant Platform	Catalog No.
	4.5mmD	FMA4
	 5.7mmD	FMA5
	Replacement Retaining Screw, 4.5mmD Platform	URS4
	Replacement Retaining Screw, 5.7mmD Platform	URS2

Hex-Lock Abutment Selection Guidelines

Selecting a Hex-Lock Abutment for an AdVent Implant:


- Select the emergence profile that best suits the site being restored.

AVHL/4 = 4.5mmD Hex-Lock Abutment with a 4.5mmD Profile

AVHL/6 = 4.5mmD Hex-Lock Abutment with a 6.5mmD Profile
(abutment extends 1mm past the implant interface)

Preparation guidelines:



The abutments have one score line placed 3mm above the top of the implant. In order to preserve adequate hex engagement with the screw, do not vertically reduce the abutment below the score line.



Note: AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 20).


Hex-Lock Abutments for AdVent Implants, 4.5mmD Platform

Includes a Retaining Screw (AVHLS). AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 20).

Catalog Numbers		
	Description	Emergence Profile Catalog No.
	AdVent Hex-Lock Abutment	4.5mmD AVHL/4
	AdVent Hex-Lock Abutment	6.5mmD AVHL/6
	Replacement Retaining Screw	• AVHLS

Angled Abutments, 20° for AdVent Implants, 4.5mmD Platform

AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 20).

Catalog Numbers		
	Description	Emergence Profile Catalog No.
	AdVent Angled Abutment, 20° for 6 Positions Includes Retaining Screw (AVH20S)	4.5mmD AVH20/4
	Replacement Retaining Screw	• AVH20S


Shaping the Future of Implant Dentistry

Zimmer Dental is headquartered near San Diego in Carlsbad, California, and has direct operations in the U.S., Australia, Canada, Chile, China, France, Germany, Israel, Italy and Spain. In addition, our global network of exclusive distributors allows us to actively distribute our products in nearly 70 countries worldwide.

Zimmer Dental is certified to EN ISO 13485:2003, CMCAS ISO 13485:2003, and is compliant with US CFR Part 820. We offer one of the most comprehensive dental implant product lines that meets the industry's most stringent quality standards globally, including root-form endosseous dental implants, prosthetic attachments for restoration, surgical instrumentation, collagen-based wound healing and regenerative materials, as well as bone graft offerings.



Custom Restoration Flow Chart



“Cast-To” Gold Abutments for AdVent Implants, Engaging, 4.5mmD Platform

AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 21).

Catalog Numbers

	Description	Emergence Profile	Catalog No.
	<i>AdVent</i> Gold Abutment Includes Retaining Screw (AVHLS)	4.5mmD	AVGA
	Replacement Retaining Screw	•	AVHLS


“Cast-To” Gold Titanium & Plastic Castable Copings for AdVent Implants, Non-Engaging, 4.5mmD Platform

Implant-level, multiple-unit, screw-retained restorations. Each part includes a Retaining Screw (AVGCS). *AdVent* Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 21).

Catalog Numbers

	Description	Height	Catalog No.
	<i>AdVent</i> Bar Gold Coping	3mm	AVGC3
	<i>AdVent</i> Bar Gold Coping	5mm	AVGC5
	<i>AdVent</i> Titanium Bar Coping	5mm	AVTC5
	<i>AdVent</i> Plastic Castable Coping	5mm	AVPC
	<i>AdVent</i> Titanium Temporary Coping	•	AVTT
	Replacement Retaining Screw	•	AVGCS




Screw-Retained Restoration Flow Chart



Note: Part numbers shown in flow chart are an example for a 4.5mmD case with a 3mm cuff height. If no additional height is required above the implant platform, use the AVACT. When completing the restoration, Plastic Copings (ACTP) and Titanium Copings (ACTT and TTC5) are also available.


Tapered Abutments for AdVent Implants, 4.5mmD Platform

AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 22). Tapered Abutments are for multiple-unit, screw-retained restorations. Abutments do not engage internal hex connection. Includes Healing Cap (TATHC).

Catalog Numbers			
	Description	Cuff Height	Catalog No.
	Tapered Abutment	No Added Height	AVACT
	Tapered Abutment	3mm	AVACT3
	AdVent Extender	2mm	AVE

Tapered Abutment Healing Cap

Healing Cap threads onto the Tapered Abutment.

Catalog Numbers	
	Catalog No.
	TATHC

Locator® Overdenture Attachments

Locator Attachments are available for the AdVent Dental Implant System.



The *Locator* Overdenture Attachment is the ideal solution for overdenture restorations.




- **Low Profile.** A low vertical height makes the *Locator* Overdenture Attachment an effective option for treatment of a wider range of patients
- **Easy for Patients.** Self-locating attachment gives patients the ability to easily position and place their overdentures
- **Predictable.** Dual-retention and tremendous durability ensure long-lasting stability and performance¹
- **Versatile.** A variety of options for retention and angulation correction lets you tailor the case to fit the needs of the patient

To select the proper abutment, measure the tissue from the top of the implant to the top of the soft tissue. Take measurements buccal, lingual, mesial and distal and use the tallest measurement. Select the abutment cuff height which matches the tallest tissue measurement. Round up to the next cuff height if necessary. The abutment will protrude 1.5mm above the tissue in order to allow engagement of the metal housing.

1. Data on file with Zest Anchors, LLC.









Tapered Abutment Transfer Components, 4.5mmD Platform

Transfers thread onto the Tapered Abutment for impression-taking. This method transfers the Tapered Abutment position.


Catalog Numbers		
	Description	Catalog No.
	Tapered Abutment Direct Transfer (Open-Tray) Includes Transfer Screw (SCDTS)	ACTDT
	Tapered Abutment Indirect Transfer (Closed-Tray)	ACTIT
	Tapered Abutment Replica	ACTR

Tapered Abutment Copings, Sheaths and Bar Systems, 4.5mmD Platform

The copings listed below fit over the Tapered Abutment and are secured with a Coping Screw.

Catalog Numbers			
	Description	Height/ Length	Catalog No.
	Tapered Abutment Gold Coping Includes Screw (SCTS)	•	ACTGC
	Titanium Temporary Coping Includes Screw (SCTS)	9.5mm	ACTT
	Plastic Castable Coping Includes Screw (SCTS)	5mm	ACTP
	Bar Gold Coping – Includes Screw (SCTS)	3mm	TGC3
	Bar Gold Coping, Long – Includes Screw (SCTS)	5mm	TGC5
	Titanium Bar Coping Includes Screw (SCTS)	5mm	TTC5
	Replacement Screw for Copings	•	SCTS
	Tapered Abutment Waxing Screw	12mm	SCWS
	Reamer for Tapered Abutment Copings	•	PR

Locator® Overdenture Restoration Flowchart



Locator Abutments for AdVent Implants, 4.5mmD Platform

AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 24).

Catalog Numbers						
Implant Platform	0.7mm	2mm	Cuff Height		5mm	6mm
			3mm	4mm		
4.5mmD	AVLOC4/1	AVLOC4/2	AVLOC4/3	AVLOC4/4	AVLOC4/5	AVLOC4/6

Locator Attachment Components

Catalog Numbers			
	Description	Qty.	Catalog No.
	Locator Abutment Holder Sleeve (used to deliver the abutment)	4	LOCAH4
	Locator Abutment Holder Sleeve	20	LOCAH20
	Male Processing Package, Includes 2 Each of Metal Housings with Black Processing Males, Block-Out Spacers, Clear, Pink and Blue Replacement Males	2 Ea.	LOCMP2
	Male Processing Package, Includes 10 Each of Parts Listed Above	10 Ea.	LOCMP10
	Extended Range Male Processing Package, Includes 2 Each of Metal Housings with Black Processing Males, Block-Out Spacers, Green, Orange and Red Replacement Males	2 Ea.	LOCMPX2
	Extended Range Male Processing Package, Includes 10 Each of Parts Listed Above	10 Ea.	LOCMPX10
	Paralleling Post	4	LOCPP
	Replacement Male, 5 lbs. (Clear)	4	LOCRMW
	Replacement Male, Light Retention, 3 lbs. (Pink)	4	LOCRMP
	Replacement Male, Extra Light Retention, 1.5 lbs. (Blue)	4	LOCRMB
	Extended Range Replacement Male, 4 lbs. (Green)	4	LOCRMG
	Extended Range Replacement Male, 2 lbs. (Orange)	4	LOCRMO
	Extended Range Replacement Male, Light Retention, 1 lb. (Red)	4	LOCRMRR
	Non-Retentive Replacement Male, Zero Retention, (Gray)	4	LOCRMGY

Locator® Bar Attachments




The *Locator* Bar Attachment system is available for use when splinting of implants is desired to increase the stability of a bar. The system encompasses the same features as the proprietary *Locator* Implant Abutments:

- Proprietary pivoting technology provides resilient connection without loss of retention
- Self-aligning design allows the patient the ability to easily position and place their bar overdenture.
- Dual retention for long-lasting durability and performance
- Low attachment profile for limited interocclusal space




The *Locator* Bar Attachment System provides three options for the fabrication of a resilient attachment on an implant-retained cast alloy or milled titanium bar: a Drill and Tap System, a Laser Welding System, and a “Cast-To” Option.


Locator Abutment Transfer Components

Catalog Numbers		Note: For <i>Locator</i> Tools, see page 25.	
	Description	Qty.	Catalog No.
	Impression Coping, Includes Black Processing Male	4	LOCIMP
	Female Analog, 4.0mmD	4	LOCAN/4
	Female Analog, 5.0mmD (For Use with 4.8mmD <i>SwissPlus</i> ® Implants and 5.0mmD <i>Spline</i> ® Implants)	4	LOCAN/5
	<i>Locator</i> Processing Spacer (used to create space in the denture for chairside pick-up)	4	LOCPS4


Locator Bar Attachment System – Drill and Tap Components

Catalog Numbers			
	Description	Qty.	Catalog No.
	<i>Locator</i> Bar Female (2mm thread)	2	LOCBF2
	<i>Locator</i> Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue Replacement Males, and 4 Each of Block-Out Spacers	2 Ea.	LOCBPP
	<i>Locator</i> Bar Drill and Tap Holder	1	LOCETH
	<i>Locator</i> 2.0mm Castable Threaded Insert (optional)	10	LOCCTI
	<i>Locator</i> 2.0mm Bar Tap (2mm thread)	1	LOCBT2
	<i>Locator</i> 1.7mm Bar Drill (2mm thread)	1	LOCBD


Locator Bar Attachment System – Laser Weld Components

Catalog Numbers			
	Description	Qty.	Catalog No.
	<i>Locator</i> Laser Bar Female (stainless steel)	2	LOCLBF
	<i>Locator</i> Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue Replacement Males, and 4 Each of Block-Out Spacers	2 Ea.	LOCBPP
	<i>Locator</i> Paralleling Mandrel	1	LOCPMAND

Locator Bar Attachment System – “Cast-To” Components

Catalog Numbers			
	Description	Qty.	Catalog No.
	<i>Locator</i> “Cast-To” Bar Female	2	LOCCTB
	<i>Locator</i> Yellow Bar Processing Package, Includes 2 Each of Metal Housings with Yellow Processing Males, Clear, Pink and Blue, Replacement Males and 4 Each of Block-Out Spacers	2 Ea.	LOCBPP
	<i>Locator</i> Paralleling Mandrel	1	LOCPMAND


Ball and Cap Overdenture Restoration Flow Chart



Ball Abutment for AdVent Implants, 4.5mmD Platform


AdVent Implants with a 5.7mmD platform utilize *Tapered Screw-Vent* prosthetics for the 5.7mmD platform (see page 27). One-piece abutment does not engage internal hex connection. Includes Cap Attachment Housing and Nylon Liner.

Catalog Numbers

	Description	Cuff Height	Catalog No.
	Ball Abutment	1mm	AVBA
	AdVent Extender (use when additional height is required)	2mm	AVE








Ball Abutment Transfer Components

Catalog Numbers

	Description	Catalog No.
	Ball Abutment Transfer (package of 2)	BAT
	Ball Abutment Replica	BAR

Prosthetic Components

Catalog Numbers

	Description	Catalog No.
	Cap Attachment System Includes 4 Nylon Liners, 2 Positioning Rings, 4 Housings and 4 Castable Ball Patterns	CAS
	Cap Attachment Instruments Includes Seating Tool, Reamer and Paralleling Tool	CAI
	Cap Attachment Housing (CAH)/ Cap Attachment Nylon Liner (CAN)	CA
	Cap Attachment Housing	CAH
	Cap Attachment Nylon Liner (Transparent)	CAN
	Cap Attachment Nylon Liner (Gray—Rigid Retention)	CAN-G
	Cap Attachment Transfer (Yellow)	CAT
	Castable Ball Pattern (2 balls per pattern)	CAB
	Micro Cap Attachment Nylon Liner	CANM

The Zimmer Surgical Motor System

Intelligent design and distinctive detail.

The result of years of research, development, and refinement by industry leader W&H, the *Zimmer* Surgical Motor System is the finest in intelligent design and simplicity. Designed for surgical specialists who perform implantology and maxillofacial surgery, this surgical motor system will quickly become your preferred solution for implant placement and bone grafting.

System Components



Console – For maximum clarity and convenience, the console features a simple array of buttons and a bright, easy-to-read display. Program settings are simple to change for use with other implant systems.

Motor – Utilizing a universal ISO connection, the motor can be used with straight and contra-angle handpieces of all types. This quiet-running, maintenance-free motor can be easily sterilized.

Irrigation Tubing – Conveniently included with the system, the one-piece irrigation tubing requires no assembly and is disposable, saving you time on routine maintenance. A variety of tubing is also available to meet your practice needs.

Foot Pedal – Foot pedal allows you to easily turn motor on and off, switch programs, adjust clockwise/counter-clockwise, seamlessly control the motor speed, as well as turn the coolant pump on and off.

ATTENTION: Part #02139800, Testing gauge for burs provided with the motor is a required part for proper use of all W&H handpieces. This gauge tests the bur's shaft to ensure it has not been affected. If burs are not tested prior to use, they can jam inside the handpiece and severely damage the mechanisms. Call Zimmer Dental for additional information.

1 (800) 854-7019
www.zimmerdental.com

Zimmer Surgical Motor System

System Features

- Designed for implantology and other maxillofacial applications
- Simple, user-friendly programs and maintenance-free features for convenience and time savings
- Increased torque control for confidence during surgeries
- Quiet performance of motor and handpieces
- Wide speed range of 300 to 40,000 rpm (1:1)
- Worldwide service locations*

Zimmer Surgical Motor System

Catalog Numbers

Description	Catalog No.	Qty.
Zimmer Surgical Motor System** (100-130V)	00900125	1
Zimmer Surgical Motor System** (220-240V)	00900124	1

* Contact a local sales representative, distributor or call Zimmer Dental Customer Service for information regarding service center locations.

** Each system includes console, motor, motor holder, foot control, irrigation stand, testing gauge for burs, oil spray cap for handpieces, 3 sets of one-piece, disposable irrigation tubing, and power cords.

Surgical Handpieces

Catalog Numbers

Description	Catalog No.	Qty.
WI-75 E/KM Contra-Angle Handpiece 20:1 (includes Y-Connector Assembly, Internal Bur Coolant Tube)	10207557	1
WI-75 LED G Contra-Angle Handpiece 20:1 (with Light Generator)	10207561	1
WS-92 Contra-Angle Handpiece 1:2	10209201	1
S-11 Straight Handpiece 1:1	00001100	1
S-12 Angled Handpiece 1:2	10101200	1

Irrigation Accessories

Catalog Numbers		
Description	Catalog No.	Qty.
One-Piece Irrigation Tubing Set, Disposable, (with Spike and Roller Clamp)	04363600	6
One-Piece Irrigation Tubing Set, Autoclave, (with Spike and Roller Clamp)	04719400	1
Pump Tubing with Connectors, Autoclave	04013900	1
Spare Pump Tubing without Connectors, Autoclave	04014000	3
Irrigation Tubing, 2.2m, Disposable	00929300	10
Internal Bur Coolant Tube	02610500	1
Y-Connector and 2 Tubes (3-piece set)	06016400	1
Set of Tube Clamps	04019000	5
Spray Clip for External/Internal Irrigation	04757100	3
Irrigation Stand	04005900	1


Micromotors and Accessories

Catalog Numbers		
Description	Catalog No.	Qty.
Motor with Cable for <i>Zimmer</i> Surgical Motor System, 1.8m	04720022	1
Motor with Cable for <i>ImplantMED</i> ® Surgical Motors, 1.8m	04009600	1
S-N1 Foot Pedal	05046200	1
Motor Holder for <i>Zimmer</i> Surgical Motor System	04735700	1
Oil Spray Cap for Handpieces*	02038200	1
Testing Gauge for Burs	02139800	1
Sterilizing Protector for Motor	04032600	1
Sterilizing Box for Motor	04013500	1
Transportation Case	04013600	1
ST-GC Treatment Trolley with Shelf	04541900	1

*Call for service oil ordering instructions.

A SINGLE KIT FOR A RANGE OF SURGERIES

Customizable configurations are designed to meet individual needs and surgical styles. The *Tapered Screw-Vent* Surgical kit eliminates the need to purchase additional trays by supporting more advanced techniques, including those for *Zimmer* Guided Surgery through the use of a drop-in module.*



Zimmer Guided Surgery
(see page 49 for more information)

* Drop-in module sold separately.

Zimmer Instrument Kit System
is compatible with the following
Zimmer Dental Implants:



- *Trabecular Metal* Dental Implants
- *Tapered Screw-Vent* Implants
- *Zimmer One-Piece* Implants
- *AdVent* Implants

Note: The *AdVent* Countersink Drill (AVCSD or AV6SCD) is not included in the *Zimmer* Instrument Kit System and must be purchased separately.

Handwriting practice lines consisting of 20 horizontal lines.





A ROADMAP FOR THE TAPERED SCREW-VENT IMPLANT SYSTEM




Internal irrigation through the surgical guide.






Zimmer Drill Module



Zimmer Drill Module can be inserted into the Tapered Screw-Vent Surgical Kit for an all-in-one standard and Guided Surgery Kit.



A simple kit for multiple surgical procedures.



Zimmer Instrument Kit System

Catalog Numbers




Description	Catalog No.	Qty.
Tapered Screw-Vent Surgical Kit (For placement of 3.7mmD, 4.1 mmD, 4.7mmD, and 6.0mmD Implants)	TSVKIT	1 Ea.
Tray Only	TSVTRAY	
2.1/1.6mmD Drill, 15mmL	0201DSN	
Round Bur	1203	
2.3mmD <i>Driva</i> ™ Surgical Drill, 16mmL	SV2.3DSN	
2.3mmD <i>Driva</i> Surgical Drill, 22mmL	SV2.3DN	
2.8mmD <i>Driva</i> Surgical Drill, 16mmL	SV2.8DSN	
2.8mmD <i>Driva</i> Surgical Drill, 22mmL	SV2.8DN	
3.4/2.8mmD <i>Driva</i> Surgical Step Drill, 16mmL	TSV3DSN	
3.4/2.8mmD <i>Driva</i> Surgical Step Drill, 22mmL	TSV3DN	
3.4mmD <i>Driva</i> Surgical Drill, 16mmL	SV3.4DSN	
3.4mmD <i>Driva</i> Surgical Drill, 22mmL	SV3.4DN	
3.8/3.4mmD <i>Driva</i> Surgical Step Drill, 16mmL	TSV3.8DSN	
3.8/3.4mmD <i>Driva</i> Surgical Step Drill, 22mmL	TSV3.8DN	
3.8mmD <i>Driva</i> Surgical Drill, 16mmL	SV3.8DSN	
3.8mmD <i>Driva</i> Surgical Drill, 22mmL	SV3.8DN	
4.4/3.8mmD <i>Driva</i> Surgical Step Drill, 16mmL	TSV4DSN	
4.4/3.8mmD <i>Driva</i> Surgical Step Drill, 22mmL	TSV4DN	
5.1mmD <i>Driva</i> Surgical Drill, 16mmL	SV5.1DSN	
5.1mmD <i>Driva</i> Surgical Drill, 22mmL	SV5.1DN	
5.7/5.1mmD <i>Driva</i> Surgical Step Drill, 16mmL	TSV6DSN	
5.7/5.1mmD <i>Driva</i> Surgical Step Drill, 22mmL	TSV6DN	
3.7mmD Cortical Bone Tap Tool	TT3.7	
4.1mmD Cortical Bone Tap Tool	TT4.1	
4.7mmD Cortical Bone Tap Tool	TT4.7	
6.0mmD Cortical Bone Tap Tool	TT6.0	
1.25mmD Hex Driver, Short, with <i>GemLock</i> Retention, 22mmL	HXGR1.25	
1.25mmD Hex Driver, Long, with <i>GemLock</i> Retention, 30mmL	HXLGR1.25	
1.25mmD Hex Driver, Short, 17mmL	HX1.25	
1.25mmD Hex Driver, Long, 22mmL	HXL1.25	
1.25mmD Latch-Lock Hex Driver, 23mmL	HX1.25D	
2.5mmD <i>GemLock</i> Retaining Hex Driver, Short, 17mmL	RH2.5	
2.5mmD <i>GemLock</i> Retaining Hex Driver, Long, 28mmL	RHL2.5	
2.5mmD <i>GemLock</i> Retaining Hex Driver, 21mmL	RHD2.5	
3.0mmD Hex Driver, Short, 17mmL	HX3.0-S	
3.0mmD Hex Driver, Long, 28mmL	HXL3.0-S	
3.0mmD Hex Driver, 25mmL	HX3.0D	
Drill Extender, 27mmL	DE	
Paralleling Tool (Qty. 4)	PPAR	
<i>GemLock</i> Retaining Square Ratchet	RSR	
Screwdriver Handle with Square Connection	SSHS	
Removal Tool for Internal Hex Implant Abutments	TLRT2	
Tapered Screw-Vent Staging Block	TSVBLK	

Note: Drills marked in blue are also included in TSVTRAYD on page 48.





Zimmer Instrument Kit System (continued)

Catalog Numbers

Description	Catalog No.	Qty.
Tapered Screw-Vent Starter Kit (For placement of 3.7mmD and 4.7mmD Implants only)	STRKIT	1 Ea.
2.1/1.6mmD Drill, 15mmL	0201DSN	
2.3mmD <i>Dríva</i> Surgical Drill, Instrument Kit System, 22mmL	SV2.3DN	
2.8mmD <i>Dríva</i> Surgical Drill, Instrument Kit System, 22mmL	SV2.8DN	
3.4/2.8mmD <i>Dríva</i> Surgical Step Drill, Instrument Kit System, 22mmL	TSV3DN	
3.8mmD <i>Dríva</i> Surgical Drill, Instrument Kit System, 22mmL	SV3.8DN	
4.4/3.8mmD <i>Dríva</i> Surgical Step Drill, Instrument Kit System, 22mmL	TSV4DN	
1.25mmD Hex Driver, Short, with <i>GemLock</i> Retention, 22mmL	HXGR1.25	
1.25mmD Hex Driver, Long, with <i>GemLock</i> Retention, 30mmL	HXLGR1.25	
1.25mmD Hex Driver, Short, 17mmL	HX1.25	
2.5mmD <i>GemLock</i> Retaining Hex Driver, Long, 28mmL	RHL2.5	
2.5mmD <i>GemLock</i> Retaining Hex Driver, 21mmL	RHD2.5	
Drill Extender, 27mmL	DE	
Paralleling Tool (Qty. 4)	PPAR	
<i>GemLock</i> Retaining Square Ratchet	RSR	
Screwdriver Handle with Square Connection	SSHS	
Removal Tool for Internal Hex Implant Abutments	TLRT2	
3.7mmD Cortical Bone Tap Tool	TT3.7	
4.7mmD Cortical Bone Tap Tool	TT4.7	
Tapered Screw-Vent Staging Block	TSVBLK	
Surgical Tray and Drills for Trabecular Metal and Tapered Screw-Vent Implants (Tray and Drills Only) (includes TSVBLK and drills marked in blue on page 47)	TSVTRAYD	1 Ea.
Tapered Screw-Vent Staging Block (Block Only)	TSVBLK	1 Ea.










Zimmer Guided Surgery Instrumentation

Catalog Numbers			
Description		Catalog No.	Qty.
 <p>Can be inserted into Tapered Screw-Vent Surgical Kit (TSVKIT)</p>		Zimmer Drill Module (can be inserted into the TSVKIT for an all-in-one Guided Surgery Kit)	GSMOD 1 Ea.
2.3mmD <i>Driva</i> EG Surgical Drill, 19mmL		STR23D19	
2.3mmD <i>Driva</i> EG Surgical Drill, 25mmL		STR23D25	
2.8/2.4mmD <i>Driva</i> EG Surgical Step Drill, 19mmL		STP28D19	
2.8/2.4mmD <i>Driva</i> EG Surgical Step Drill, 25mmL		STP28D25	
2.8mmD <i>Driva</i> EG Surgical Drill, 19mmL		STR28D19	
2.8mmD <i>Driva</i> EG Surgical Drill, 25mmL		STR28D25	
3.4/2.8mmD <i>Driva</i> EG Surgical Step Drill, 19mmL		STP34D19	
3.4/2.8mmD <i>Driva</i> EG Surgical Step Drill, 25mmL		STP34D25	
3.4mmD <i>Driva</i> EG Surgical Drill, 19mmL		STR34D19	
3.4mmD <i>Driva</i> EG Surgical Drill, 25mmL		STR34D25	
3.8/3.4mmD <i>Driva</i> EG Surgical Step Drill, 19mmL		STP38D19	
3.8/3.4mmD <i>Driva</i> EG Surgical Step Drill, 25mmL		STP38D25	
3.8mmD <i>Driva</i> EG Surgical Drill, 19mmL		STR38D19	
3.8mmD <i>Driva</i> EG Surgical Drill, 25mmL		STR38D25	
4.4/3.8mmD <i>Driva</i> EG Surgical Step Drill, 19mmL		STP44D19	
4.4/3.8mmD <i>Driva</i> EG Surgical Step Drill, 25mmL		STP44D25	
		Zimmer Drill Module (Plate Only)	GSTRAY 1 Ea.
		Zimmer Tube Adapter Kit* (includes 1 each of Tube Adapters listed below) Note: EG Drills are used with Tube Adapter Kit.	TADKIT 1 Ea.
		Replacement Zimmer Tube Adapters*	
2.3mmD Tube Adapter, A		TAD23A	1 Ea.
2.8mmD Tube Adapter, A		TAD28A	1 Ea.
3.4mmD Tube Adapter, A		TAD34A	1 Ea.
2.3mmD Tube Adapter, B		TAD23B	1 Ea.
2.8mmD Tube Adapter, B		TAD28B	1 Ea.
3.4mmD Tube Adapter, B		TAD34B	1 Ea.
3.8mmD Tube Adapter, B		TAD38B	1 Ea.
4.4mmD Tube Adapter, B		TAD44B	1 Ea.











* Must use drills with axial stripe.

Surgical Drills

Catalog Numbers							
	Diameter	8mmL	15mmL*	16mmL*	19mmL	22mmL*	25mmL
	2.1/1.6mmD	•	0201DSN	•	•	•	•
	2.1/1.6mmD	0201	•	•	•	•	•
	2.3mmD	•	•	SV2.3DSN	STR23D19	SV2.3DN	STR23D25
	2.8mmD	•	•	SV2.8DSN	STR28D19	SV2.8DN	STR28D25
	3.4mmD	•	•	SV3.4DSN	STR34D19	SV3.4DN	STR34D25
	3.8mmD	•	•	SV3.8DSN	STR38D19	SV3.8DN	STR38D25
	5.1mmD	•	•	SV5.1DSN	•	SV5.1DN	•


* The 15mmL, 16mmL and 22mmL Drills feature axial stripes to help identify use with the *Zimmer Drill Stop Kit*.

Surgical Step Drills

	Diameter	16mmL*	19mmL	22mmL*	25mmL	Color Code
	2.8/2.4mmD	•	STP28D19	ZOP28DN	STP28D25	Blue 
	3.4/2.8mmD	TSV3DSN	STP34D19	TSV3DN	STP34D25	Green 
	3.8/3.4mmD	TSV3.8DSN	STP38D19	TSV3.8DN	STP38D25	White 
	4.4/3.8mmD	TSV4DSN	STP44D19	TSV4DN	STP44D25	Purple 
	5.7/5.1mmD	TSV6DSN	•	TSV6DN	•	Yellow 

* The 15mmL, 16mmL and 22mmL Drills feature axial stripes to help identify use with the *Zimmer Drill Stop Kit*.

SimPlant® Treatment Planning Software

Catalog Numbers			
	Description	Catalog No.	Qty.
SimPlant Planner			
	<i>SimPlant Planner</i> – One License/Installation	SIMBAS	1
	<i>SimPlant Planner</i> – Additional Installation	SIMBASX	1
	<i>SimPlant Planner</i> – Floating License	NETBAS	1
	<i>SimPlant Planner</i> – Floating License, Additional Installation	NETBASX	1
	<i>SimPlant Planner</i> – Floating License Upgrade	BAS2NET	1
	<i>SimPlant Planner</i> – Floating License Upgrade for Additional Installations	BAS2NETX	1
	<i>SimPlant Planner</i> – Upgrade to <i>SimPlant Pro</i>	BAS2PRO	1
	<i>SimPlant Planner</i> – Upgrade to <i>SimPlant Master</i>	BAS2MAS	1
	<i>SimPlant Planner</i> – Maintenance Contract	BASMTN	1
SimPlant Pro			
	<i>SimPlant Pro</i> – One License/Installation	SIMPRO	1
	<i>SimPlant Pro</i> – Additional Installation	SIMPROX	1
	<i>SimPlant Pro</i> – Floating License	NETPRO	1
	<i>SimPlant Pro</i> – Floating License, Additional Installation	NETPROX	1
	<i>SimPlant Pro</i> – Floating License Upgrade	PRO2NET	1
	<i>SimPlant Pro</i> – Floating License Upgrade for Additional Installations	PRO2NETX	1
	<i>SimPlant Pro</i> – Upgrade to <i>SimPlant Master</i>	PRO2MAS	1
	<i>SimPlant Pro</i> – Maintenance Contract	PROMTN	1
SimPlant Master			
	<i>SimPlant Master</i> – One License/Installation	SIMMAS	1
	<i>SimPlant Master</i> – Maintenance Contract	MASMTN	
Optional Modules			
	Advanced Bone Grafting Module	SIMBG	1
	Dual Scan Module	SIMDS	1
	<i>SimPlant</i> Optical Scan Module	SIMOS	1
	<i>SimPlant</i> SuperView Module	SIMSV	1

Surgery Just Got Easier


With the *Zimmer* Instrument Kit System there's no more straining your eyes looking for the right tool or worrying about optimizing your time.

- Everything is logically organized with an intuitive instrument flow that complements the surgical sequence for each implant diameter
- Kits and selected instruments are color-coded by implant diameter and according to the surgical protocol
- Instruments are clearly labeled for easy identification
- Kit layout and drilling sequence charts are provided to give you additional step-by-step guidance









Kits are designed for flexibility. Use just one kit to place *Trabecular Metal*, *Tapered Screw-Vent*, *Zimmer One-Piece* and *Advent* Implants. The kit can also be upgraded easily for use with *Zimmer* Guided Surgery Instrumentation.

Zimmer Instrument Kit System


Catalog Numbers		
Description	Catalog No.	Qty.
 Zimmer One-Piece Module (Plate Only)	ZOPTRAY	1 Ea.

Zimmer Instrument Kit System – Zimmer One-Piece Replacement Instrumentation

Insertion Tools for Zimmer One-Piece Implants

Catalog Numbers		
	Description	Catalog No.
	3.0mmD Implant Driver, Straight, 24mmL	ZOPDRS
	3.0mmD Implant Driver, 17°, 24mmL	ZOPDRA
	2.5mmD <i>GemLock</i> Retaining Hex Driver, 21mmL	RHD2.5
	<i>GemLock</i> Retaining Square Ratchet	RSR
	Stainless Steel Screwdriver Handle	SSHS
	Drill Extender, 27mmL	DE

Cortical Bone Taps for Zimmer One-Piece Implants

Catalog Numbers		
	Description	Catalog No.
	3.0mmD Cortical Bone Tap Tool	ZOPTT30

Implant Try-ins for Zimmer One-Piece Implants

Catalog Numbers		
	Description	Catalog No.
	3.0mmD Implant Try-in, Straight	ZOP30ST
	3.0mmD Implant Try-in, 17°	ZOP30AT


A SMARTER SOLUTION FOR CONTROLLING DRILLING DEPTH

The *Zimmer* Drill Stop Kit includes a set of reusable titanium drill stops designed to limit drilling depth from bone level during osteotomy preparation.




● SIMPLY "PICK & GO"


- Ease of use
- Time savings
- Cost-efficient design



Drill Stops are only intended for use with updated *Dríva* Drills marked with axial stripes.



With convenient “pick & go” simplicity, easy-to-follow color-coding and organization, and a host of other time-saving features, the Zimmer Drill Stop Kit is designed to rise above all other depth control solutions.



Step 1:

Select the appropriate Drill Stop.

Step 2:

Verify drilling depth by using the Drill Depth Guide.

Step 3:

Create the osteotomy to a predetermined depth.

Step 4:

When done, simply disengage the Drill Stop using the Multi-tool or by hand.


Step 5:

Before placing the Drill Stop back into the kit, verify the stop's location in the kit by using the Drill Stop Guide to ensure proper placement.



Sample Sequence


Osteotomy for a 3.7mmD x 13mmL Tapered Screw-Vent Implant, using a 17/22mmL Dríva Drill.



SV2.3DN
2.3mmD
Drill


Step 1: From the 13mmL implant row, select the Drill Stop for a 2.3mmD Pilot Drill.

For Soft Bone



SV2.8DN
2.8mmD
Drill

For Dense Bone



TSV3DN
3.4/2.8mmD
Drill

Step 2: From the same row, select the Drill Stop for a 2.8mmD Drill (final for soft bone) or skip to the Drill Stop for a 3.4/2.8mmD Step Drill (final for dense bone).

Zimmer Drill Stop Kit



Catalog Numbers

Description	Catalog No.	Qty.
Complete Drill Stop Kit for Tapered Screw-Vent and ZOPKIT Zimmer One-Piece Implants (drills not included)	DSKIT	1
Stop Set, 8mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS8D22	5
Stop Set, 10mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS10D22	5
Stop Set, 11.5mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS11D22	5
Stop Set, 13mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS13D22	5
Stop Set, 8mmL Implant, 2.3 - 4.4/3.8mmD x 11/16mmL <i>Dríva</i> Drill	SS8D16	5
Stop Set, 10mmL Implant - 11/16mmL <i>Dríva</i> Drill and 16mmL Implant - 17/22mmL <i>Dríva</i> Drill, 2.3 - 4.4/3.8mmD <i>Dríva</i> Drill	SS10D16	5
Stop Set, 11.5mmL Implant, 2.3 - 4.4/3.8mmD x 11/16mmL <i>Dríva</i> Drill	SS11D16	5
Stop Set, 8-16mmL Implant, 5.1mmD x 11/16mmL & 17/22mmL <i>Dríva</i> Drill	SS51D	7
Stop Set, 8-16mmL Implant, 5.7/5.1mmD x 11/16mmL & 17/22mmL <i>Dríva</i> Drill	SS57D	7
Drill Stop Multi-Tool	MTL	1

Replacement Drill Stop Sets and Accessories



Catalog Numbers


Description	Catalog No.	Qty.
Stop Set, 8mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS8D22	5
Stop Set, 10mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS10D22	5
Stop Set, 11.5mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS11D22	5
Stop Set, 13mmL Implant, 2.3 - 4.4/3.8mmD x 17/22mmL <i>Dríva</i> Drill	SS13D22	5
Stop Set, 8mmL Implant, 2.3 - 4.4/3.8mmD x 11/16mmL <i>Dríva</i> Drill	SS8D16	5
Stop Set, 10mmL Implant - 11/16mmL <i>Dríva</i> Drill and 16mmL Implant - 17/22mmL <i>Dríva</i> Drill, 2.3 - 4.4/3.8mmD <i>Dríva</i> Drill	SS10D16	5
Stop Set, 11.5mmL Implant, 2.3 - 4.4/3.8mmD x 11/16mmL <i>Dríva</i> Drill	SS11D16	5
Stop Set, 8-16mmL Implant, 5.1mmD x 11/16mmL & 17/22mmL <i>Dríva</i> Drill	SS51D	7
Stop Set, 8-16mmL Implant, 5.7/5.1mmD x 11/16mmL & 17/22mmL <i>Dríva</i> Drill	SS57D	7
Drill Stop Multi-Tool	MTL	1





High-Performance Driva Drills

A product of extensive research and testing, high performance and internally-irrigated *Driva* Drills are reusable and deliver high levels of sharpness and longevity.

- Enhanced drill design to facilitate cleaning and sterilization
- Color bands and size etching help in simple identification and replacement
- All drills are made of an advanced grade of stainless steel, with a progressive geometry that provides high levels of strength and cutting efficiency
- A corrosion-resistant coating protects drill sharpness
- Grooves and laser-etched depth bands deliver improved visibility








Surgical Drills

Catalog Numbers						
Diameter	8mmL	15mmL*	16mmL*	19mmL	22mmL*	25mmL
 2.1/1.6mmD	•	0201DSN	•	•	•	•
 2.1/1.6mmD	0201	•	•	•	•	•












* The 15mmL, 16mmL and 22mmL Drills feature axial stripes to help identify use with the *Zimmer* Drill Stop Kit.

Surgical Drills

Catalog Numbers						
Diameter	8mmL	15mmL*	16mmL*	19mmL	22mmL*	25mmL
 2.3mmD	•	•	SV2.3DSN	STR23D19	SV2.3DN	STR23D25
 2.8mmD	•	•	SV2.8DSN	STR28D19	SV2.8DN	STR28D25
 3.4mmD	•	•	SV3.4DSN	STR34D19	SV3.4DN	STR34D25
 3.8mmD	•	•	SV3.8DSN	STR38D19	SV3.8DN	STR38D25
 5.1mmD	•	•	SV5.1DSN	•	SV5.1DN	•

* The 15mmL, 16mmL and 22mmL Drills feature axial stripes to help identify use with the *Zimmer* Drill Stop Kit.

Surgical Step Drills


Catalog Numbers						
Diameter	16mmL*	19mmL	22mmL*	25mmL	Color Code	
 2.8/2.4mmD	•	STP28D19	ZOP28DN	STP28D25	Blue	
 3.4/2.8mmD	TSV3DSN	STP34D19	TSV3DN	STP34D25	Green	
 3.8/3.4mmD	TSV3.8DSN	STP38D19	TSV3.8DN	STP38D25	White	
 4.4/3.8mmD	TSV4DSN	STP44D19	TSV4DN	STP44D25	Purple	
 5.1/4.4mmD	TSV5.1DSN	•	TSV5.1DN	•		
 5.7/5.1mmD	TSV6DSN	•	TSV6DN	•	Yellow	

* The 15mmL, 16mmL and 22mmL Drills feature axial stripes to help identify use with the *Zimmer* Drill Stop Kit.

Countersink Drills for AdVent Implants

Catalog Numbers	
Diameter	Catalog No.
 4.8/2.8mmD Countersink Drill	AVCSD
 6.0/3.8mmD Countersink Drill	AV6CSD

The depth markings are machined and laser-etched for increased visibility. The bands are located approximately 1mm longer than the implant-abutment junction.
(for example: the 13mm band is dimensioned 14mm from the tip of the drill)





Cleaning Tool

Catalog Numbers

Description	Catalog No.	Qty.
 Driva Drill Cleaning Wire	NM1940	1 Ea.







Surgical Instruments for Tapered Screw-Vent, Screw-Vent and AdVent Implants

Catalog Numbers

Description	Catalog No.
 GemLock Retaining Square Ratchet for Implant Placement with Hex Drivers RH2.5/RHL2.5 or FMT Directly	RSR
 Stainless Steel Screwdriver Handle with Square Connection for Implant Placement with Hex Drivers RH2.5/RHL2.5 or FMT Directly	SSHS




Hex Drivers 1.25mmD for Tapered Screw-Vent, Screw-Vent and AdVent Implants

Catalog Numbers

Description	Catalog No.
 Hex Driver, Short, for Tightening of Surgical and Prosthetic Screws (1.25mmD, 17mmL)	HX1.25
 Hex Driver, Long, for Tightening of Surgical and Prosthetic Screws (1.25mmD, 22mmL)	HXL1.25
 Hex Driver, Short, with GemLock Retention (1.25mmD, 22mmL)	HXGR1.25
 Hex Driver, Long, with GemLock Retention (1.25mmD, 30mmL)	HXLGR1.25
 Latch-Lock Hex Driver (Short) for Surgical and Prosthetic Screws (1.25mmD, 23mmL) (may require Reduction Handpiece)	HX1.25D
 Latch-Lock Hex Driver (Long) for Surgical and Prosthetic Screws (1.25mmD, 26mmL) (may require Reduction Handpiece)	HXL1.25D

Hex Drivers 2.5mmD for Tapered Screw-Vent, Screw-Vent and AdVent Implants

Catalog Numbers

Description	Catalog No.
 GemLock Retaining Hex Driver (2.5mmD, 21mmL)	RHD2.5
 GemLock Retaining Hex Driver, Short (2.5mmD, 17mmL)	RH2.5
 GemLock Retaining Hex Driver, Long (2.5mmD, 28mmL)	RHL2.5

Note: 2.5mmD Hex Drivers (GemLock Delivery System) should be used to deliver all Tapered Screw-Vent Implants via the Fixture Mount/Transfer.

Multiple configurations. Streamlined procedures.

Individual needs and surgical styles are met with one easily customizable kit.

- The *Tapered Screw-Vent* Surgical Kit can be easily combined with an optional module to allow customization for *Zimmer* Guided Surgery
- Our unique Staging Block allows you to have just the instruments you need next to the patient during surgery
- Extra storage space is available for additional instruments



Complete *Tapered Screw-Vent* Surgical Kit



Zimmer Drill Module for Guided Surgery

Hex Drivers 3.0mmD for Tapered Screw-Vent and AdVent Implants

Catalog Numbers		
	Description	Catalog No.
	Hex Driver for Implants with 3.0mmD Hex (may require Reduction Handpiece) (3.0mmD, 25mmL)	HX3.0D
	Hex Driver, Short, for Implants with 3.0mmD Hex (3.0mmD, 17mmL)	HX3.0-S
	Hex Driver, Long, for Implants with 3.0mmD Hex (3.0mmD, 28mmL)	HXL3.0-S

Note: 3.0mmD Hex Drivers are used to place the 6.0mmD *Tapered Screw-Vent* and all *AdVent* Implants without a Fixture Mount/Transfer.

Cortical Bone Taps (Triple-Lead Threads) for Tapered Screw-Vent and AdVent Implants

Catalog Numbers		
	Description	Catalog No.
	3.7mmD Cortical Bone Tap Tool	TT3.7
	4.1mmD Cortical Bone Tap Tool	TT4.1
	4.7mmD Cortical Bone Tap Tool	TT4.7
	6.0mmD Cortical Bone Tap Tool	TT6.0

Miscellaneous Surgical Instruments










Catalog Numbers		
	Description	Catalog No.
	Drill Extender, 27mmL	DE
	Paralleling Tool	PPAR
	Removal Tool for Screw-Type Implants, Carbide Steel (do not autoclave)	IRT
	Removal Tool for Internal Hex Implant Abutments	TLRT2
	Round Bur	1203

Single-Patient Drills for Tapered Screw-Vent and AdVent Implants


Catalog Numbers		
Description	Contents	Catalog No.
Drill Kit, Single-Patient, Long 3.7mmD Implant, 17mmL	3.0mmD Round Bur 2.3mmD Pilot Drill 3.4/2.8mmD Stepped Drill	DSTK3
Drill Kit, Single-Patient, Short 3.7mmD Implant, 11mmL	3.0mmD Round Bur 2.3mmD Pilot Drill 3.4/2.8mmD Stepped Drill	DSTK3S
Drill, Single-Patient, Long 4.7mmD Implant, 17mmL	4.4/3.8mmD Stepped Drill	DST4
Drill, Single-Patient, Short 4.7mmD Implant, 11mmL	4.4/3.8mmD Stepped Drill	DST4S
Drill, Single-Patient, Long 6.0mmD Implant, 17mmL	5.7/5.1mmD Stepped Drill	DST6
Drill, Single-Patient, Short 6.0mmD Implant, 11mmL	5.7/5.1mmD Stepped Drill	DST6S

Note: No internal irrigation.

Surgical Sequence Requirements

3.7mmD Tapered Screw-Vent and AdVent Implants						
		DSTK3 8, 10, 11.5, 13 or 16mmL				
		DSTK3S 8 or 10mmL				
4.7mmD Tapered Screw-Vent and AdVent Implants						
		DSTK3 8, 10, 11.5, 13 or 16mmL		DST4 8, 10, 11.5, 13 or 16mmL		
		DSTK3S 8 or 10mmL		DST4S 8 or 10mmL		
6.0mmD Tapered Screw-Vent Implants						
		DSTK3 8, 10, 11.5, 13 or 16mmL		DST4 8, 10, 11.5, 13 or 16mmL		DST6 8, 10, 11.5, 13 or 16mmL
		DSTK3S 8 or 10mmL		DST4S 8 or 10mmL		DST6S 8 or 10mmL

There’s No Comparison



Zimmer Dental now offers the most comprehensive line of regenerative biologics available. This ever-expanding range of solutions provide the breadth and depth that clinicians need to complete regenerative procedures, while broadening the success of their practice.

Hard Tissue Augmentation

- *Puros* Cancellous Particulate Allograft
- *Puros* Cortical Particulate Allograft
- *Puros* Block Allograft
- *Puros* Demineralized Bone Matrix (DBM) Putty and Putty with Chips
- *RegenaVate*™ DBM Fill
- *RegenaVate* DBM Formable

Soft Tissue Augmentation

- *Puros* Dermis Allograft Tissue Matrix

Barrier Membranes

- *BioMend*® and *BioMend*® *Extend*™ Absorbable Collagen Membranes
- *Puros* Pericardium Membrane
- *CopiOs* Pericardium Membrane
- *Zimmer*® Socket Repair Membrane


Wound Dressings

- *Zimmer*® Collagen Tape
- *Zimmer*® Collagen Patch
- *Zimmer*® Collagen Plug


Puros® Allografts

The Benefits of the Multi-Step Tutoplast Process


In the span of 39 days, the process preserves the valuable minerals, collagen matrix and tissue integrity while inactivating pathogens and gently removing unwanted materials, such as cells, antigens and viruses.^{1,2}




Delipidization




Osmotic treatment



Oxidative treatment




Solvent dehydration




Low-dose gamma irradiation

Hard Tissue Augmentation – Allograft

Puros® Cancellous Particulate Allograft

Catalog Numbers	
Description	Catalog No.
 <i>Puros</i> Cancellous Particles, 0.5cc, 250-1000	68210
<i>Puros</i> Cancellous Particles, 1cc, 250-1000	68211
<i>Puros</i> Cancellous Particles, 2cc, 250-1000	68209
<i>Puros</i> Cancellous Particles, 0.5cc, 1000-2000	68212
<i>Puros</i> Cancellous Particles, 1cc, 1000-2000	68213
<i>Puros</i> Cancellous Particles, 2cc, 1000-2000	68214

Puros® Cortical Particulate Allograft

Catalog Numbers	
Description	Catalog No.
 <i>Puros</i> Cortical Particles, 0.5cc, 250-1000	68271
<i>Puros</i> Cortical Particles, 1cc, 250-1000	68272
<i>Puros</i> Cortical Particles, 2cc, 250-1000	68273
<i>Puros</i> Cortical Particles, 0.5cc, 1000-2000	68274
<i>Puros</i> Cortical Particles, 1cc, 1000-2000	68275
<i>Puros</i> Cortical Particles, 2cc, 1000-2000	68276

1. Schoepf C. Allograft safety: efficacy of the Tutoplast® Process. IMOI. 2006;1:10-15.

2. Data on file with RTI Biologics, Inc.

Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.

Hard Tissue Augmentation (continued)



Catalog Numbers	
Description	Catalog No.
<i>Puros Cortico-Cancellous Particles, 0.5cc, 250-1000</i>	68800
<i>Puros Cortico-Cancellous Particles, 1cc, 250-1000</i>	68801
<i>Puros Cortico-Cancellous Particles, 2cc, 250-1000</i>	68802
<i>Puros Cortico-Cancellous Particles, 0.5cc, 1000-2000</i>	68803
<i>Puros Cortico-Cancellous Particles, 1cc, 1000-2000</i>	68804
<i>Puros Cortico-Cancellous Particles, 2cc, 1000-2000</i>	68805

Puros® Block Allograft



Catalog Numbers	
Description	Catalog No.
<i>Puros Block Allograft, 10mm</i>	68220
<i>Puros Block Allograft, 15mm</i>	68221

Puros® Demineralized Bone Matrix*



Catalog Numbers	
Description	Catalog No.
<i>Puros Demineralized Bone Matrix (DBM) Putty, 0.5cc</i>	00-1105-005-01
<i>Puros Demineralized Bone Matrix (DBM) Putty, 1cc</i>	00-1105-010-01
<i>Puros Demineralized Bone Matrix (DBM) Putty, 2cc</i>	00-1105-020-01
<i>Puros Demineralized Bone Matrix (DBM) Putty with Chips, 0.5cc</i>	00-1105-005-02
<i>Puros Demineralized Bone Matrix (DBM) Putty with Chips, 1cc</i>	00-1105-010-02
<i>Puros Demineralized Bone Matrix (DBM) Putty with Chips, 2cc</i>	00-1105-020-02

* Allograft

RegenaVate™ DBM Fill



Catalog Numbers	
Description	Catalog No.
<i>RegenaVate DBM Fill, 0.5cc</i>	013005Z
<i>RegenaVate DBM Fill, 1.0cc</i>	013010Z

Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.

Supporting and Inspiring Nature.

Zimmer Dental's comprehensive biologically derived regenerative portfolio has expanded to include non-biologic products: *IngeniOs* Synthetic Bone Particles.



These 100% non-biologic products are made of pure-phase hydroxyapatite (HA) and can be utilized alone or as a graft mix-in providing radiopacity or volume preservation. They are designed to support vascularized bone formation, osseointegration and have up to 80% interconnected porosity.



These pure-phase beta tricalcium phosphate 100% non-biologic products are silicated, providing the potential for increased bioactivity. They are designed to resorb in balance with replacement by naturally-regenerating mineralized bone and have 75% interconnected porosity, which is designed to enable ingrowth of healthy bone tissue.

1 (800) 854-7019
www.zimmerdental.com



RegenaVate™ Formable DBM, RT

Catalog Numbers	
Description	Catalog No.
<i>RegenaVate</i> Formable DBM, RT, 1.0cc	005301Z
<i>RegenaVate</i> Formable DBM, RT, 2.0cc	005302Z

RegenaVate™ Formable DBM, Frozen

Catalog Numbers	
Description	Catalog No.
<i>RegenaVate</i> Formable DBM, Frozen 1x1x0.5cm (0.5cc)	001504Z
<i>RegenaVate</i> Formable DBM, Frozen 1x2x0.5cm (1.0cc)	001505Z
<i>RegenaVate</i> Formable DBM, Frozen 1x4x0.5cm (2.0cc)	001510Z

IngeniOs® HA Synthetic Bone Particles

Catalog Numbers	
Description	Catalog No.
<i>IngeniOs</i> HA Particles, 0.25cc, 250-1000	0-802501
<i>IngeniOs</i> HA Particles, 0.5cc, 250-1000	0-800501
<i>IngeniOs</i> HA Particles, 1cc, 250-1000	0-801001
<i>IngeniOs</i> HA Particles, 2cc, 250-1000	0-802001
<i>IngeniOs</i> HA Particles, 0.25cc, 1000-2000	0-902501
<i>IngeniOs</i> HA Particles, 0.5cc, 1000-2000	0-900501
<i>IngeniOs</i> HA Particles, 1cc, 1000-2000	0-901001
<i>IngeniOs</i> HA Particles, 2cc, 1000-2000	0-902001



IngeniOs® β-TCP Bioactive Synthetic Bone Particles

Catalog Numbers	
Description	Catalog No.
<i>IngeniOs</i> β-TCP Particles, 0.25cc, 250-1000	0-602501
<i>IngeniOs</i> β-TCP Particles, 0.5cc, 250-1000	0-600501
<i>IngeniOs</i> β-TCP Particles, 1cc, 250-1000	0-601001
<i>IngeniOs</i> β-TCP Particles, 2cc, 250-1000	0-602001
<i>IngeniOs</i> β-TCP Particles, 0.25cc, 1000-2000	0-702501
<i>IngeniOs</i> β-TCP Particles, 0.5cc, 1000-2000	0-700501
<i>IngeniOs</i> β-TCP Particles, 1cc, 1000-2000	0-701001
<i>IngeniOs</i> β-TCP Particles, 2cc, 1000-2000	0-702001

Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.

Soft Tissue Augmentation


Puros® Dermis Allograft Tissue Matrix

Catalog Numbers		
Thick	Description	Catalog No.
	 Puros Dermis Tissue Matrix, 10x10mm, 0.8-1.8mm	68793
	Puros Dermis Tissue Matrix, 10x20mm, 0.8-1.8mm	68790
	Puros Dermis Tissue Matrix, 10x40mm, 0.8-1.8mm	68791
Thin	Puros Dermis Tissue Matrix, 20x40mm, 0.8-1.8mm	68792
	 Puros Dermis Tissue Matrix, 10x10mm, 0.3-0.8mm	68794
	Puros Dermis Tissue Matrix, 10x20mm, 0.3-0.8mm	68795
	Puros Dermis Tissue Matrix, 10x40mm, 0.3-0.8mm	68796
Puros Dermis Tissue Matrix, 20x40mm, 0.3-0.8mm		68797



Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.

The Collagen Advantage



Zimmer Collagen Wound Dressings, *BioMend* Membranes, and *Zimmer* Socket Repair Membranes are composed of Type I Collagen derived from xenogenic tendon. Due to the physiochemical properties of the collagen matrix, these products promote wound healing, are nonimmunogenic, and are resorbed by the body.



Barrier Membranes

BioMend and BioMend Extend Absorbable Collagen Membranes*

Catalog Numbers

Description	Catalog No.
<i>BioMend</i> Membrane, 15x20mm	0103Z
<i>BioMend</i> Membrane, 20x30mm	0105Z
<i>BioMend</i> Membrane, 30x40mm	0107Z
<i>BioMend Extend</i> Membrane, 15x20mm	0140Z
<i>BioMend Extend</i> Membrane, 20x30mm	0141Z
<i>BioMend Extend</i> Membrane, 30x40mm	0142Z

* Xenograft

Puros® Pericardium Membrane*

Catalog Numbers

Description	Catalog No.
<i>Puros</i> Pericardium Membrane, 15x20mm	68770
<i>Puros</i> Pericardium Membrane, 20x30mm	68771
<i>Puros</i> Pericardium Membrane, 30x40mm	68772

* Allograft

CopiOs® Pericardium Membrane*

Catalog Numbers

Description	Catalog No.
<i>CopiOs</i> Pericardium Membrane, 15x20mm	77776
<i>CopiOs</i> Pericardium Membrane, 20x30mm	77777
<i>CopiOs</i> Pericardium Membrane, 30x40mm	77778

* Xenograft


CopiOs Extend® Membrane*

Catalog Numbers

Description	Catalog No.
<i>CopiOs Extend</i> Pericardium Membrane, 15x20mm	0190Z
<i>CopiOs Extend</i> Pericardium Membrane, 20x30mm	0191Z
<i>CopiOs Extend</i> Pericardium Membrane, 30x40mm	0192Z




* Xenograft

Zimmer Socket Repair Membrane*

	Catalog Numbers	
	Description	Catalog No.
	Zimmer Socket Repair Membrane, 10x20mm	0154
	* Xenograft	

Wound Dressings

Zimmer Collagen Wound Dressings*

	Catalog Numbers	
	Description	Catalog No.
	Zimmer Collagen Tape, 10/Pkg.	0100Z
	Zimmer Collagen Patch, 10/Pkg.	0101Z
	Zimmer Collagen Plug, 10/Pkg.	0102Z

* Xenograft

Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.


Sinus Lift Solutions

SINUS LATERAL APPROACH KIT

KEY BENEFIT: Provides the instrumentation needed to ensure a minimal flap size and window size over conventional techniques. Additionally, instruments provide a method of opening the lateral wall near the crest.

SINUS CRESTAL APPROACH KIT

KEY BENEFIT: Minimally invasive instrumentation designed to create an osteotomy into the inferior cortical bone without tearing the Schneiderian membrane.



Sinus Crestal Approach



Sinus Lift Solutions

Sinus Lateral Approach Kit

Catalog Numbers	
Description	Catalog No.
Sinus Lateral Approach Instrument Kit	SLAKIT


Sinus Crestal Approach Kit

Catalog Numbers	
Description	Catalog No.
Sinus Crestal Approach Instrument Kit	SCAKIT



RC Sinus Lift Kit

Catalog Numbers	
Description	Catalog No.
Sinus Lift Kit, 5 Piece	RCSLK
Instrument #2	2RC



Please note that not all products and regenerative materials are registered or available in every country/region, and part numbers vary. Please check with a Zimmer Dental representative for availability and additional information.

Screw Fixation Kit

Catalog Numbers

Description	Catalog No.
Screw Fixation Kit, Assembled	69.01.10Z



Screw Fixation Screws, Cartridge of 10 Screws

Catalog Numbers

Description	Catalog No.
3.5mmL, Micro, 1.5mmD, Self-Drilling	68.85.83Z
4mmL, Micro, 1.5mmD, Self-Drilling	68.85.84Z
4mmL, Micro, 2.0mmD, Self-Tapping	68.94.00Z
5mmL, Micro, 1.5mmD, Self-Drilling	68.85.85Z
5.5mmL, Micro, 2.0mmD, Self-Tapping	68.94.01Z
7mmL, Micro, 1.5mmD, Self-Drilling	68.85.87Z
7mmL, Micro, 2.0mmD, Self-Tapping	68.94.02Z
7mmL, Rescue Mini	68.94.10Z
9mmL, Micro, 1.5mmD, Self-Tapping	68.85.49Z
9mmL, Micro, 2.0mmD, Self-Tapping	68.94.03Z
11mmL, Micro, 1.5mmD, Self-Tapping	68.85.51Z
11mmL, Micro, 2.0mmD, Self-Tapping	68.94.04Z
11mmL, Rescue Mini	68.94.11Z
13mmL, Micro, 1.5mmD, Self-Tapping	68.85.53Z
13mmL, Micro, 2.0mmD, Self-Tapping	68.94.05Z
15mmL, Micro, 1.5mmD, Self-Tapping	68.85.55Z
15mmL, Micro, 2.0mmD, Self-Tapping	68.94.06Z
17mmL, Micro, 1.5mmD, Self-Tapping	68.85.57Z
17mmL, Micro, 2.0mmD, Self-Tapping	68.94.07Z



Zimmer Institute

Zimmer Dental is committed to providing dental professionals with the educational programs needed to **complement skill sets** and help clinicians **achieve unprecedented levels of professional satisfaction and success**. The world-class learning environment at the Zimmer Institute provides a unique opportunity for dental professionals to refine and enhance their skills. The emphasis on repetition through simulation enables participants to return home and immediately incorporate their learning experience into their own practice.

Beyond the classroom.

Zimmer Institute transforms the traditional classroom into a **revolutionary consultative collaboration**, featuring high-definition cameras and streaming video capabilities that elevate didactic sessions to a higher level of learning. In Zimmer Institute's **Simulated Patient Training (SimLab)**, clinicians are presented with **real-life scenarios**, enabling practice of patient case exploration, case discussions and authentic supporting documentation on surgical and restorative mannequins.

For more information about course enrollment, contact a Zimmer sales representative at 1 (800) 854-7019.



ZIMMER INSTITUTE EAST
Parsippany, NJ
New York
Metropolitan Area



ZIMMER INSTITUTE WEST
Carlsbad, CA



ZIMMER INSTITUTE COLOMBIA
Bogotá, Colombia



ZIMMER INSTITUTE EUROPE
Winterthur, Switzerland



Patient Education Brochures

Catalog Numbers		
Description	Catalog No.	Qty.
Trabecular Metal Implant	ZD1188	25/Pkg.
Soft Tissue Grafting	2491	25/Pkg.
Bone Grafting	2492	25/Pkg.
Ridge Augmentation	2493	25/Pkg.
Sinus Lift	2494	25/Pkg.
Brochure Holder	6055	1

Patient Education Models

Catalog Numbers		
Description	Catalog No.	Qty.
Treatment Planning Model (Internal and External Dental Implant Connections)	2001	1 Ea.
SwissPlus Implant and Hader Bar Overdenture Model	MSPHB	1 Ea.
Tapered Screw-Vent Maxillary Crown-and-Bridge Model (demonstrates Cement-Retained Anterior Crown and Posterior Bridge)	MTSVCB	1 Ea.
AdVent Mandibular Ball Overdenture Model (demonstrates Ball and Cap Overdenture on 2 implants)	MAVOD	1 Ea.
Spline Implant Deluxe Model	0871	1 Ea.
Locator® Implant Model (Internal Connection Implants)	LOCMDL	1 Ea.

Zimmer® Patient Consultation Tool

Catalog Numbers		
Description	Catalog No.	Qty.
Basic License (single workstation)	XCPT2USR1	1
Professional Package (three workstations)	XCPT2USR3	3
Team Builder Package (eight workstations)	XCPT2USR8	8
11 Workstation Package	XCPT2USR11	11
20 Workstation Package	XCPT2USR20	20
Additional Workstation (two through ten)	XCPT2ADD2	1
Additional Workstation (eleven and up)	XCPT2ADD11	1
In-Office Training	XCPTTRN	1
Referral Network License	XCPT2REF1	1



SURGICAL

IMPLANTS

<i>Zimmer Trabecular Metal</i> Dental Implants	3
<i>Tapered Screw-Vent</i> Implants	3-4
<i>Zimmer One-Piece</i> Implants	9
<i>AdVent</i> Implants	31

MICROMOTORS AND ACCESSORIES 42

SURGICAL INSTRUMENTS

<i>Zimmer</i> Surgical Motor System	41
<i>Zimmer</i> Instrument Kit System	43-53
<i>Zimmer</i> Drill Module	46-49
<i>Zimmer</i> Drill Stop Kit and Compatible Drills	52
Surgical Drills	55-58
Surgical Handpieces	41
Irrigation Accessories	42
Surgical Instruments for <i>Tapered Screw-Vent</i> , <i>Screw-Vent</i> and <i>AdVent</i> Implants	56
Surgical Kit for <i>Trabecular Metal</i> , <i>Tapered Screw-Vent</i> , <i>Zimmer One-Piece</i> and <i>AdVent</i> Implants (complete)	43
Surgical Kits and Instruments for <i>Tapered Screw-Vent</i> Implants	45
Surgical Kits and Instruments for <i>Zimmer One-Piece</i> Implants	51
Surgical Saw Blades	41
Surgical Step Drills	55
Surgical Tray and Drills for <i>Trabecular Metal</i> and <i>Tapered Screw-Vent</i> Staging Block	48
<i>Tapered Screw-Vent</i> Staging Block (Block only)	48
<i>Tapered Screw-Vent</i> Starter Kit	48
Cleaning Tool	56
Hex Drivers for <i>Tapered Screw-Vent</i> , <i>Screw-Vent</i> and <i>AdVent</i> Implants, 1.25mmD	56
Hex Drivers for <i>Tapered Screw-Vent</i> , <i>Screw-Vent</i> and <i>AdVent</i> Implants, 2.5mmD	56
Hex Drivers for <i>Tapered Screw-Vent</i> and <i>AdVent</i> Implants, 3.0mmD	57
Cortical Bone Taps (Triple-Lead Threads) for <i>Tapered Screw-Vent</i> and <i>AdVent</i> Implants	57
Cortical Bone Taps for <i>Zimmer One-Piece</i> Implants	51
Countersink Drills for <i>AdVent</i> Implants	55
Implant Try-Ins for <i>Zimmer One-Piece</i> Implants	51
Surgical Cover Screws	3
Surgical Cover Screws and Implant Extender/Healing Cuff, 4.5mmD Platform	32
<i>Zimmer One-Piece</i> Kit System	51

SIMPLANT TREATMENT PLANNING SOFTWARE

<i>SimPlant Master</i>	50
<i>SimPlant Optional Modules</i>	50
<i>SimPlant Planner</i>	50
<i>SimPlant Pro</i>	50

SINGLE-PATIENT DRILLS FOR TAPERED SCREW-VENT AND ADVENT IMPLANTS 58**ZIMMER TUBE ADAPTER KIT 49****PROSTHETICS****HEALING COLLARS FOR TRABECULAR METAL, TAPERED SCREW-VENT AND SCREW-VENT IMPLANTS 12****COVER SCREWS AND IMPLANT EXTENDER/HEALING CUFF FOR ADVENT 32****PROSTHETICS FOR TRABECULAR METAL, TAPERED SCREW-VENT AND SCREW-VENT IMPLANTS**

Components for Impression Transfers	
Fixture Mount/Transfers	13
Indirect Transfers (Closed-Tray)	13
Direct Transfers (Open-Tray)	14
Analog	14
Components for Provisional Restorations	
Plastic Temporary Abutments, Straight & Angled	14
Fixture Mount/Transfers	14
Components for Cement-Retained Restorations	
Contour Zirconia Abutments, Straight	16
Contour Zirconia Abutments, 17°	16
Hex-Lock Contour Abutments, Straight	16
Hex-Lock Contour Abutments, 17°	17
Contour Abutment Try-Ins	17
Contour Healing Caps,	17
Contour Restorative Kits	17
Contour Provisional Copings	17
Contour Impression Caps	17
Contour Abutment Analogs	18
Contour Waxing Copings	18
Hex-Lock Short Abutments	18
Short Healing Caps	18
Short Restorative Kits	19
Short Provisional Copings	19
Short Impression Caps	19
Short Abutment Analogs	19
Short Waxing Copings	19

<i>Hex-Lock</i> Abutments	20
Angled Abutments, 20° for 6 Positions	20
Custom Abutments	
Cast-To Gold Abutments, Engaging	21
Cast-To Gold Abutments, Non- Engaging	21
<i>Zimmer</i> Patient Specific Abutments	21
Components for Screw-Retained Restorations	
Tapered Abutments	22
Angled Tapered Abutments	22
Angled Tapered & Tapered Abutment Healing Cap	23
Angled Tapered & Tapered Abutment Transfer Components	23
Angled Tapered & Abutment Copings and Bar Systems	23
Overdenture Attachments	
<i>Locator</i> Abutments	24
<i>Locator</i> Attachment Components	24, 25
<i>Locator</i> Abutment Transfer Components	25
<i>Locator</i> Bar Attachment Systems	26
<i>Locator</i> Tools	25
Ball Abutments	27
Ball Abutment Transfer Components	28
Ball Abutment Components & Tools	28
PROSTHETIC TOOLS	
Ancillary Tools	29
Hex Drivers	29
Latch-Lock Hex Drivers	29
<i>Locator</i> Tools	29
Prosthetic Tray	29
Restorative Torque Wrench	29
Torque Wrench Inserts	29
PROSTHETICS FOR ADVENT IMPLANTS, 4.5mmD PLATFORM	
Components for Impression Transfers	
Indirect Transfer (Closed-Tray)	33
Direct Transfer (Open-Tray)	33
Fixture Mount/Transfers	34
Analog	33
Components for Provisional Restorations	
Fixture Mount/Transfers	34
Components for Cement-Retained Restorations	

<i>Hex-Lock</i> Abutments	34
Angled Abutments, 20° for 6 Positions	34
Components for Custom Restorations	
Cast-To Gold Abutments, Engaging	35
Cast-To Gold Bar and Titanium Bar Copings	35
Plastic Castable Copings	35
Titanium Provisional Copings	35
Components for Screw-Retained Restorations	
Tapered Abutments	36
Tapered Abutment Healing Cap	36
Tapered Abutment Transfer Components	37
Tapered Abutment Copings and Bar Systems	37
Overdenture Attachments	
<i>Locator</i> Abutments	38
<i>Locator</i> Attachment Components	38
<i>Locator</i> Abutment Transfer Components	39
<i>Locator</i> BAR Attachment Systems	39
Ball Abutments	40
Ball Abutment Transfer Components	40
Ball Abutment Components & Tool	40

REGENERATIVE MATERIALS

Barrier Membranes	63
<i>Puros</i> Pericardium Membranes	63
<i>BioMend</i> and <i>BioMend Extend</i> Absorbable Collagen Membranes	63
<i>Zimmer</i> Collagen Wound Dressings	64
<i>CopiOs</i> Pericardium Membrane	63
Hard Tissue Augmentation	59-61
<i>IngeniOs</i> HA Synthetic Bone Particles	61
<i>IngeniOs</i> β -TCP Bioactive Synthetic Bone Particles	61
<i>Puros</i> Block Allograft	60
<i>Puros</i> Cancellous Particulate Allograft	59
<i>Puros</i> Cortical Particulate Allograft	59
<i>Puros</i> Cortico-Cancellous Allograft	60
<i>Puros</i> Demineralized Bone Matrix (DBM) Putty	60
RegeneVate	60-61
Soft Tissue Augmentation	62
<i>Puros</i> Dermis Allograft Tissue Matrix	62
Replacement Tube Adapters	49

Sinus Lift Solutions	65
Sinus Crestal Approach Kit	65
Sinus Lateral Approach Kit	65
Wound Dressings	64
<i>Zimmer</i> Socket Repair Membrane	64

PATIENT EDUCATION MATERIALS

Patient Education Brochures	67
Patient Education Models	67
<i>Zimmer</i> Patient Consultation Tool	67

TRADEMARK AND MANUFACTURER INFORMATION	74
---	-----------

[illegible]

Trademark and Manufacturer Information

Locator is a registered trademark of Zest IP Holdings, LLC. Locator Attachments are manufactured by Zest Anchors, LLC and distributed by Zimmer Dental Inc. Zimmer Surgical Motor System and ImplantMED Surgical Motors are manufactured by W&H Dentalwerk Bürmoos GmbH and offered by Zimmer Dental Inc. ImplantMED is a registered trademark of W&H Dentalwerk Bürmoos GmbH. SimPlant is a registered trademark of Dentsply Implants NV. SimPlant Treatment Planning Software is distributed by Zimmer Dental Inc. Tutoplast is a registered trademark of RTI Biologics, Inc. Puros Allografts and CopiOs Pericardium Membrane are manufactured by RTI Biologics, Inc. and marketed by Zimmer Dental Inc. In certain countries, BioMend and BioMend Extend Membranes are manufactured by Collagen Matrix, Inc. and distributed by Zimmer Dental Inc. Prior to June 2013, and thereafter in certain countries, BioMend and BioMend Extend Membranes were/are manufactured by Integra LifeSciences Corporation. CopiOs Extend Membrane, Zimmer Collagen Plug, Tape and Patch and Zimmer Socket Repair Membrane are manufactured by Collagen Matrix, Inc. and distributed by Zimmer Dental Inc. RC Sinus Lift Kits are manufactured by Osseous Technologies of America for Zimmer Dental Inc. IngeniOs β -TCP Bioactive and IngeniOs HA Synthetic Bone Particles are manufactured by curasan AG and distributed exclusively by Zimmer Dental Inc. Sinus Lateral Approach Kit and Sinus Crestal Approach Kit are manufactured by Neobiotech Co., Ltd. and distributed by Zimmer Dental Inc. XCPT is a registered trademark of XCPT Communication Technologies, LLC. Zimmer Patient Consultation Tool is developed by XCPT Communication Technologies, LLC and distributed by Zimmer Dental Inc.

For more information about our Products, Regenerative Materials and Educational Opportunities, contact us:

1900 Aston Avenue
Carlsbad, CA 92008-7308
USA

In the U.S. 1 (800) 854-7019
To fax an order 1 (888) 225-2483
Outside the U.S. +1 (760) 929-4300
Australia +61 (0)2 9950 5434 or 1 (800) 241 916
Canada + 1 (905) 567-2073 or 1 (800) 265-0968
Chile +562 231 5185

China +86 21 22115147
France +33 (0)1 45 12 35 35
Germany +49 (0)761 1 56 47 0
Israel +972 (0)3 6124242
Italy +39 0438 37681
Spain +34 93 846 05 43

To receive our eNews visit us at http://www.zimmerdental.com/news_eNewsletterSignUp.aspx



www.zimmerdental.com

Zimmer Dental Tapered Screw-Vent Implant System – Product Catalog